

## REPORT OF SIGHTING/DISCOVERY

General locality \_\_\_\_\_

Date \_\_\_\_\_ Time \_\_\_\_\_

Approximate Position: Lat. \_\_\_\_\_ N.,

Long. \_\_\_\_\_ E.

Position Determined by (Method/Instrument used):  
\_\_\_\_\_

Nature/description of MSI (*Floating hazard, unlit light station,  
uncharted shoals, adrift vessels etc.*)  
\_\_\_\_\_  
\_\_\_\_\_

Weather/sea condition in the locality \_\_\_\_\_

MSI Reported by:  
\_\_\_\_\_

Master or Navigator

Vessels/Country Registry

Enroute to: \_\_\_\_\_

To: **The Director**  
**Hydrography Branch**  
421 Barraca Street, San Nicolas  
1010 Manila, PHILIPPINES  
Fax No. (632) 242-20-90



# PHILIPPINE NOTICES TO MARINERS

Edition No. 10

31 October 2013

Notices Nos. 182 to 207

### CONTENTS

- I Index of Charts Affected
- II Notices to Mariners
- III NAVPhil Information

Produced by the Hydrography Branch  
**Commodore ROMEO I. HO**  
Director

Published by the  
Department of Environment and Natural Resources  
NATIONAL MAPPING AND RESOURCE INFORMATION AUTHORITY  
**Dr. PETER N. TIANGCO, CESO I**  
Administrator

Notices to Mariners – Philippine edition are now on-line at  
[http:// www.namria.gov.ph](http://www.namria.gov.ph) under the heading **Publication**

## GENERAL NOTICES

1. **NOTICE TO MARINERS** is a publication issued and mailed to mariners giving emphasis to changes in aids to navigation as well as recent Charts correction data. It can be availed through a written application to the **Director, Hydrography Branch, NAMRIA, 421 Barraca Street, San Nicolas, Manila**. Copies may also be obtained directly from **NAMRIA** or other agencies distributing marine information. An international service of centralization of Notices To Mariners exists in offices at various ports where national and certain foreign Notices To Mariners may be obtained. The Hydrography Branch of NAMRIA is the office of centralization in the Philippines.
2. The capital **R**+ or **T**+ affixed in the number of any notice denotes *“preliminary”* or *“temporary”*, respectively. Asterisk **\***+ indicates that the information is based upon original Philippine source.
3. Geographic coordinates or position are referred to the largest scale Charts and expressed in **Luzon Datum** unless otherwise stated.
4. All directions and bearings are measured clockwise from true North 000+ to 360+. Bearing on lights is based on the observer from seaward toward the light
5. The visibility assigned to the lights never exceeds the calculated distance at which they can be seen from a height of 4.57 meters above the level of the water at high tide.
6. Masters of vessels and other concerned are requested to advance any report of dangers to navigation and other information affecting Philippine Charts and Coast Pilots which may come to their attention to the **Director, Hydrography Branch, 421 Barraca Street, San Nicolas, Manila, Philippines**. If such information warrants urgent attention like for instance the non-existence of aids to navigation or failure of light beacons or similar structure or existence of floating mines, masters of vessels are requested to contact directly NAMRIA Radio Station DUS (free of charge) at 0800 and 1600 hours on weekdays and 0900 and 1600 hours on Saturdays. Station DUS transmits on 8484.0 KHz (Channel 1-CW) and 6363.0 KHz (Channel 2-CW).
7. Changes in aids to navigation, their maintenance and correction of deficiencies in operation are under the operation of the Philippine Coast Guard. Report of defects and recommendations concerning aids to navigation should be forwarded to the Commandant, Philippine Coast Guard, Port Area, Manila, Philippines.
8. **WARNINGS:** Masters of vessels are warned that great care should be exercised in navigating Philippine waters because of the low visibility and occasional failure of some temporary lights. Buoys and beacons are sometimes lost or destroyed specially after typhoons. Temporary deficiencies in the standard aids to navigation published in this office may have been corrected before subsequent notice is issued.
9. **Nautical Charts, Coast Pilot book, Topographic Maps, Tide and Current Tables and related publications are available for sale at the following NAMRIA Map Sales offices:**

## REQUEST FOR CORRECTIVE INFORMATION

Mariners are requested to notify the **Hydrography Branch, NAMRIA** of any changes or discrepancies found on Charts published by this office especially if this affect navigational safety in Philippine Waters. Reports may be sent by radio (see item # 6 General Notices), or by Facsimile (FAX No. (632) 242 20 90) or by speed mail to:

NAMRIA  
Hydrography Branch  
421 Barraca Street, San Nicolas  
1010 Manila, Philippines  
Attention: Maritime Affairs Division

Reports may also be sent by electronic mail (e-mail) to:  
[maritime.concerns@gmail.com](mailto:maritime.concerns@gmail.com)

*(Please send the information in format similar to that found at the back cover of this publication)*

(Intentionally left as blank)

**METRO MANILA:**

**NAMRIA, Taguig Main Office MSO**

Fort Andres Bonifacio, Taguig City

Staff: Ms. Edelita Miñeque

Contact Nos., (632) 810-4831 to 34 local 240, 810-5467, 0919-298990

**San Nicolas, Manila MSO**

**Hydrography Branch**

421 Barraca Street, San Nicolas, Manila

Staff: Mr. Jeffrey Quodala

Contact Nos., (632) 241-3494 to 96 local 117, 245-9498, (0919)6259276

**DENR Central Office - MSO**

**Forest Management Bureau (FMB) Compound**

Visayas Avenue, Quezon City

Staff: Ms. Alicia P. Ventura

Contact Nos., (632) 925-1157, (0915)5433557

**Region I – San Fernando, La Union MSO**

**DENR Government Center**

Sevilla, San Fernando City

Staff: Ms. Bona G. Perez

Contact Nos., (072) 700-7957, (072) 242-6201, (0927)9187175

**Region II – Cagayan MSO**

**DENR – LEP, Building II**

Carig, Tuguegarao City

Staff: Mr. Elias P. Bulaqui, Jr.

Contact Nos., (078) 846-7366, (078) 846-7347, (0921)6768049

**CAR – Baguio City MSO**

**Cottage I Forester Compound,**

PACDAL, Baguio City

Staff: Mr. Conrado Labrador, Sr.

Contact Nos., (074) 442-5429, (074) 442-4531, (0918)9203590

**Region III – Central Luzon, Nueva Ecija MSO**

**GIS Room, WMRC Building,**

**Central Luzon State University Compound**

Maharlika Highway, Muñoz City

Staff: Mr. Cielito Valino

Contact Nos., (044) 456-0690, (0917)9313827

**Region III – Central Luzon, Pampanga MSO**

**Diosdado Macapagal Government Center**

Maimpis, San Fernando City

Staff: Ms. Lily Pineda

Contact Nos., (045) 963-4650, (045) 963-4646 or 49, (0921)3166276

**Region IVA – Southern Tagalog MSO**

**Provincial Planning and Development Office**

Laurel Park, Capitol Site, Batangas City

Staff: Ms. Marcelita Aguda

Contact Nos., (043) 723-3286, (0919)9750907

**Region IVB – Puerto Princesa, Palawan MSO**

**DENR-PENRO Compound,**

Brgy. Santa Monica, Puerto Princesa City

Staff: Ms. Wamalaida Talabucon

Contact Nos., (048) 433-5638, (048) 433-5639, (0918)3702215

**Region V – Bicol, Legaspi City MSO**  
**DENR – Ecosystems Research and Development Service,**  
Kalikasan Park, Anahaw Village, Sagpon, Legaspi City  
Staff: Ms. Isabelita Climaco  
Contact Nos., (052) 481-1515, (052) 481-1542, 480-9825, (0919)8944613

**Region VI – Iloilo City MSO**  
**DENR – Forestry Building,**  
Parola, Fort San Pedro, Iloilo City  
Staff: Ms. Ma. Lucille Licaros  
Contact Nos., (033) 336-5480, (033) 336-1013, (0918)3865390

**Region VII – Cebu City MSO**  
**Room 301, Osmeña Building II,**  
Osmeña Boulevard, Cebu City  
Staff: Ms. Rubi P. Lastimosa  
Contact Nos., (032) 505-9945, (0915) 8534498

**Region VIII – Tacloban City MSO**  
**DENR Compound,**  
Santo Niño Extension, Tacloban City, Leyte  
Staff: Mr. Carmelo M. Cromente  
Contact Nos., (053) 325-6223, (053) 321-3386, (0921) 3628489

**Region IX – Zamboanga City MSO**  
**DENR CENRO WEST**  
General Vicente Alvarez St., Zone 4, Zamboanga City, Zamboanga del Sur  
Staff: Ms. Magdalena Daraug  
Contact Nos.: (062) 991 861279, (062) 991 2149, (062) 992 2484,

(Intentionally left as blank)

**Region IX – Pagadian City, Zamboanga del Sur MSO**  
**4<sup>th</sup> floor Pantaran Building**  
Rizal Avenue, Balingasan District, Pagadian City  
Staff: Ms. Josefina Valdez  
Contact No: (062) 215-4065

**Region X – Cagayan de Oro City MSO**  
**Day Care Center Building, DENR - Compound,**  
Macabalan (Puntod), Cagayan de Oro City, Misamis Oriental  
Staff: Jennifer Bagamaspad  
Contact Nos., (088) 856-9050, (088) 856-9591, (0919)2668962

**Region XI – Davao City MSO**  
**FRCD Building, DENR - Compound**  
Lanang, Davao City, Davao del Sur  
Staff: Eduardo Deocampo  
Contact Nos., (082) 234-4401, (082) 234-7441, (0921) 6685180

**Region XII – SOCCKSARGEN, Koronadal City MSO**  
**DENR Region 12, Land Evaluation Party Office,**  
Aurora Street, Koronadal City, South Cotabato  
Staff: Ms. Rosalinda Balawang  
Contact Nos., (083) 228-8476, (0921) 4407141

**CARAGA Region XIII – Butuan City MSO**  
**Day Care Center Building, DENR Compound,**  
Ambago, Butuan City, Agusan del Norte  
Staff: Mr. Rodeo L. Bonjoc  
Contact Nos., (085) 342-6124, (085) 341-3250, (0910) 3752616

**III**  
**NAVPHIL INFORMATION**

Date: 24 October 2013  
Reference No.: H.D. 162/13

MESSAGE

**NAVPHIL 074/13 – WEST PHILIPPINE SEA – SUPPLY VESSEL WORKING**

**GALOC PRODUCTION COMPANY (GPC) HAS ENGAGED THE MULTI-PURPOSE PLATFORM SUPPLY VESSEL “MERMAID LEVEQUE” WHICH WILL BE UTILIZED IN GALOC FIELD, NW PALAWAN UNDER SERVICE CONTRACT NO. 14C (SC14C) BETWEEN GPC AND THE DEPARTMENT OF ENERGY (DOE) FOR APPROXIMATELY TWO (2) MONTHS.**

**ACTIVITY WILL START ON 30 OCTOBER 2013 AFTER THE EXPECTED ARRIVAL OF “MERMAID LEVEQUE” AT THE WORK AREA WITH COORDINATES BELOW:**

**11° 58' 41” N., 119° 18' 41” E.**

**(PHILIPPINE CHARTS AFFECTED: 4200, 4314, 4714)**

**ALL SHIPS/WATERCRAFTS TRANSITING THE ABOVE-MENTIONED AREA ARE ADVISED TO TAKE THE NECESSARY PRECAUTIONARY MEASURES.**

Users may consult Notices to Mariners issued by the following foreign agencies for notices covering Philippine waters.

- USA:** National Geospatial & Intelligence Agency  
Code GIMM, Mall Shop D-44  
4600 Sangamore Road  
Bethesda, MD 20816-5003  
USA  
<http://pollux.nss.ngamil>
- United Kingdom:** The United Kingdom Hydrographic Office  
Admiralty Way  
Taunton, Somerset, TA1 2DN,  
UK  
[www.ukho.gov.uk](http://www.ukho.gov.uk)
- Japan:** Hydrographic and Oceanographic Department  
Japan Coast Guard  
MLIT Aomi Building  
2-5-18, Aomi, Koto-ku,  
Tokyo 135-0064  
Japan  
<http://www1.kaiho.mlit.go.jp>
- Australia:** Royal Australian Navy  
Hydrographic Service  
161 Walker Street,  
North Sydney, NSW, 2060  
Australia  
[www.hydro.gov.au](http://www.hydro.gov.au)

I NUMERICAL INDEX OF CHARTS AFFECTED				
Charts No.	Notices Nos.		Charts No.	Notices Nos.
1501	*10(182)13		4210	*10(187)T/13
	*10(183)13			
	*10(186)13			
	*10(187)T/13		4211	*10(182)13
				*10(183)13
				*10(186)13
1502	*10(187)T/13			*10(187)T/13
1518	*10(206)T/13		4220	*10(203)13
1538	*10(191)T/13		4255	*10(182)13
				*10(183)13
				*10(186)13
1545	*10(202)13			*10(187)T/13
1546	10(185)13		4258	*10(203)13
	*10(197)13			
	*10(198)13			
	*10(199)13		4305	*10(189)13
	*10(201)13			
			4314	*10(189)13
4200	*10(182)13			
	*10(183)13			
	10(184)13		4356	*10(188)13
	10(185)13			
	*10(186)13			
	*10(187)T/13		4405	*10(191)T/13
	*10(188)13			*10(197)13
	*10(189)13			*10(199)13
	*10(190)13			*10(207)T/13
	*10(191)T/13			
	*10(192)13			
	*10(193)13		4415	*10(198)13
	*10(194)T/13			*10(202)13
	*10(195)13			
	*10(197)13			
	*10(198)13		4416	10(185)13
	*10(199)13			*10(197)13
	*10(200)13			*10(198)13
	*10(201)13			*10(199)13
	*10(202)13			*10(201)13
	*10(203)13			
	*10(204)T/13			
	*10(205)T/13		4420	*10(204)T/13
	*10(206)T/13			
	*10(207)T/13			

### III NAVPIL INFORMATION

	TOW ROUTE	WAY POINT COORDINATES	
043	HE ENT	01° 13.600' N.,	103° 39.879' N.,
044	TEMASEK FAIRWAY	01° 14.600' N.,	103° 39.300' N.,
045	JURONG WEST ANCHORAGE	08° 48.500' N.,	116° 54.000' N.,

(PHILIPPINE CHARTS AFFECTED: 4200, 4707, 4716, 4723, 4723A)

RIG OCEAN PATROIT ASSISTED ONSITE DURING DRILLING OPERATIONS AND FOR REQUIRED CARGO RUNS AT PNO-C-ENERGY SUPPLY BASE IN MABINI, BATANGAS AND ASIA SUPPLY BASE IN LABUAN, MALAYSIA BY ATHS M/V PACIFIC BATTIER AND M/V MAERSK SEARCHER AND MPV M/V EXECUTIVE VALOUR WHICH WILL HEAD TO LABUAN.

SINCE RIG OCEAN PATROIT WILL BE TOWED AT APPROXIMATELY 3.0 TO 5.0 KNOTS ONLY, SHE IS RESTRICTED IN HER ABILITY TO MANEUVER OR DIVERT COURSE, FOR MARITIME SAFETY REASONS HENCE, ALL MARINERS/TRAFFIC SHOULD MAINTAIN A SAFE DISTANCE OF 5 NAUTICAL MILES AWAY FROM THE RIG'S TOWING ROUTE.

ALL SHIPS/WATERCRAFTS TRANSITING THE ABOVE-MENTIONED AREAS ARE ADVISED TO TAKE THE NECESSARY PRECAUTIONARY MEASURES.

**III  
NAVPHIL INFORMATION**

Date: 22 October 2013  
Reference No.: H.D. 161/13

**MESSAGE**

**NAVPHIL 073/13 – PHILIPPINE WATERS – VESSELS’ ROUTE AND OIL DRILLING**

GALOC PRODUCTION COMPANY (GPC) IS SCHEDULED TO CONCLUDE THIS COMING WEEK THEIR DRILLING OPERATIONS IN GALOC FIELD OFFSHORE NORTHWEST PALAWAN COVERED UNDER SERVICE CONTRACT (SC) NO. 14C WITH THE DEPARTMENT OF ENERGY (DOE) AND PHILIPPINE COAST GUARD NOTICE TO MARINERS 051-2013 DATED 27 MAY 2013.

SEMI-SUBMERSIBLE DRILLING RIG “OCEAN PATROIT”, OWNED AND OPERATED BY DIAMOND OFFSHORE, SHALL BE TOWED BY AHTS “M/V PACIFIC BATTIER” AT THE SPEED OF APPROXIMATELY 3.0 TO 5.0 KNOTS FROM GALOC FIELD, DEPARTING 23 OCTOBER 2013 FOR THE FINAL PHILIPPINE OFFSHORE TRANSFER AREA BANBAN POINT 08 DEGS 34.550 MINS NORTH, 116 DEGS 52.040 MINS EAST SOUTHWESTERN PALAWAN LOCATED SOUTH OF PALAWAN PASSAGE ON 25 OCTOBER 2013 COVERING A TOWING DISTANCE OF APPROXIMATELY 1,218.28 NAUTICAL MILES AND ESTIMATED TOWING DURATION OF AROUND 246.3 HOURS SEA WEATHER PERMITTING.

	TOW ROUTE	WAY POINT COORDINATES	
005	OCEAN POINT	11° 59.000' N.,	119° 18.000' N.,
026	GALOC POINT	11° 54.000' N.,	119° 00.000' N.,
027	PALAWAN PASSAGE	08° 48.500' N.,	116° 54.000' N.,
028	BAN BAN POINT	08° 34.550' N.,	116° 52.040' N.,
029	TERRITORIAL BORDER	07° 40.000' N.,	115° 47.000' N.,
030	SOUTH CHINA SEA	07° 29.000' N.,	115° 34.000' N.,
031	NORTH LUCONIA SHOAL	06° 04.000' N.,	112° 00.000' N.,
032	PULAU BUNGARAN	03° 31.000' N.,	108° 37.000' N.,
033	PULAU-PULAU PENGIBO	01° 11.000' N.,	106° 29.000' N.,
034	EASTERN BANK	01° 34.000' N.,	104° 37.500' N.,
035	SW OF HORSBURGH LT HSE	01° 18.700' N.,	104° 20.000' N.,
036	OFF CHANGI/PULAU BATAM	01° 15.500' N.,	104° 00.000' N.,
037	WESTERN BOARDING GROUND A	01° 13.300' N.,	103° 54.000' N.,
038	SOUTHERN FAIRWAY	01° 11.800' N.,	103° 51.000' N.,
039	GUSONG BOARDING GROUND	01° 10.600' N.,	103° 48.000' N.,
040	RAFFLES LIGHTHOUSE	01° 08.400' N.,	103° 44.300' N.,
041	PAWAI BUOY	01° 11.300' N.,	103° 40.100' N.,
042	WESTERN BOARDING GROUND B	01° 12.030' N.,	103° 39.480' N.,

**I  
NUMERICAL INDEX OF CHARTS AFFECTED**

Charts No.	Notices Nos.		Charts No.	Notices Nos.
4424	*10(205)T/13		4706	*10(182)13
	*10(206)T/13			*10(183)13
				10(185)13
				*10(186)13
4427	*10(207)T/13			*10(187)T/13
				*10(189)13
				*10(190)13
4428	*10(190)13			*10(191)T/13
	*10(200)13			*10(197)13
				*10(198)13
				*10(199)13
4448	*10(197)13			*10(200)13
				*10(201)13
				*10(202)13
4456	*10(207)T/13			*10(203)13
				*10(204)T/13
				*10(206)T/13
4463	*10(200)13			*10(207)T/13
4465	*10(191)T/13		4707	*10(188)13
				*10(202)13
4603	*10(205)T/13			
	*10(206)T/13		4708	10(184)13
				10(185)13
				*10(188)13
4604	*10(192)13			*10(190)13
	*10(193)13			*10(192)13
	*10(194)T/13			*10(193)13
	*10(195)13			*10(194)T/13
	*10(196)13			*10(195)13
				*10(197)13
4608	10(184)13			*10(198)13
				*10(199)13
				*10(201)13
4639	*10(192)13			*10(205)T/13
	*10(194)T/13			*10(206)T/13
4705	*10(182)13		4714	*10(182)13
	*10(183)13			*10(183)13
	*10(186)13			*10(186)13
	*10(187)T/13			*10(189)13
			4715	*10(203)13



**III  
NAVPHIL INFORMATION**

**THE VESSEL HAS RESTRICTED ABILITY TO MANEUVER.**

**ONCE THE VESSEL HAS ARRIVED AT THE JOB SITE, THE LIGHT CONFIGURATION BELOW WILL BE DISPLAYED ON THE MAST, IN VERTICAL ARRAY:**

<u><b>DAY LIGHTS</b></u> <b>BLACK SQUARE</b> <b>BLACK DIAMOND</b> <b>BLACK SQUARE</b>	<u><b>NIGHT LIGHTS</b></u> <b>RED SQUARE</b> <b>WHITE DIAMOND</b> <b>RED SQUARE</b>
--	--

**(PHILIPPINE CHARTS AFFECTED: 4200, 4707, 4723, 4723A)**

**ALL SHIPS/WATERCRAFTS TRANSITING THE ABOVE-MENTIONED AREA ARE ADVISED TO TAKE THE NECESSARY PRECAUTIONARY MEASURES.**

**II  
NOTICES TO MARINERS**

**\*10(182)13 – LUZON, W COAST, Lamac Anchorage – Anchorages**

Insert Anchorage Areas (General Cargo):

For domestic and foreign vessels of less than 5,000 GRT:

<b>A<sub>01</sub>:</b>	<b>14° 30.63' N.,</b>	<b>120° 37.83' E.</b>
<b>A<sub>02</sub>:</b>	<b>14° 30.30' N.,</b>	<b>120° 38.00' E.</b>
<b>A<sub>03</sub>:</b>	<b>14° 30.00' N.,</b>	<b>120° 38.18' E. (with radius of 300 m)</b>
<b>A<sub>04</sub>:</b>	<b>14° 30.63' N.,</b>	<b>120° 38.22' E.</b>
<b>A<sub>05</sub>:</b>	<b>14° 30.30' N.,</b>	<b>120° 38.40' E.</b>
<b>A<sub>06</sub>:</b>	<b>14° 30.00' N.,</b>	<b>120° 38.58' E.</b>

For foreign vessels in excess of 5,000 GRT:

<b>A<sub>07</sub>:</b>	<b>14° 30.63' N.,</b>	<b>120° 36.60' E.</b>
<b>A<sub>08</sub>:</b>	<b>14° 30.30' N.,</b>	<b>120° 38.80' E.</b>
<b>A<sub>09</sub>:</b>	<b>14° 30.00' N.,</b>	<b>120° 39.00' E. (with radius of 300 m)</b>
<b>A<sub>10</sub>:</b>	<b>14° 30.63' N.,</b>	<b>120° 39.00' E.</b>
<b>A<sub>11</sub>:</b>	<b>14° 30.30' N.,</b>	<b>120° 39.24' E.</b>
<b>A<sub>12</sub>:</b>	<b>14° 30.63' N.,</b>	<b>120° 39.40' E.</b>

Insert Anchorage Areas (Petroleum Products):

<b>L<sub>01</sub>:</b>	<b>14° 32.25' N.,</b>	<b>120° 38.27' E.</b>
<b>L<sub>02</sub>:</b>	<b>14° 32.17' N.,</b>	<b>120° 38.65' E.</b>
<b>L<sub>03</sub>:</b>	<b>14° 32.50' N.,</b>	<b>120° 38.00' E.</b>
<b>L<sub>04</sub>:</b>	<b>14° 32.50' N.,</b>	<b>120° 38.53' E.</b>
<b>L<sub>05</sub>:</b>	<b>14° 32.85' N.,</b>	<b>120° 37.90' E.</b>
<b>L<sub>06</sub>:</b>	<b>14° 32.78' N.,</b>	<b>120° 38.25' E.</b>
<b>L<sub>07</sub>:</b>	<b>14° 32.84' N.,</b>	<b>120° 38.70' E.</b>

Insert symbol for Quarantine Anchorage Areas at:

<b>Q<sub>1</sub>:</b>	<b>14° 29' 30" N.,</b>	<b>120° 38' 30" E.</b>
<b>Q<sub>2</sub>:</b>	<b>14° 29' 30" N.,</b>	<b>120° 38' 30" E. (with radius of 400 m)</b>
<b>Q<sub>3</sub>:</b>	<b>14° 29' 30" N.,</b>	<b>120° 39' 00" E.</b>

NAMRIA Charts affected: 1501, 4200, 4211, 4255, 4705, 4706, 4714, 4726A (PPA Memo Circular No. 023/1997; H.D. 113/13)

**\*10(183)13 – LUZON, W COAST, Mariveles Harbor – Anchorages**

For vessels bound for Hyatt Terminal, Lokanin Buoys and Petrochem jetty:

Insert symbol for Anchorage Areas (for domestic and foreign vessels of less than 5,000 GRT):

<b>M<sub>1</sub>:</b>	<b>14° 28' 48.0" N.,</b>	<b>120° 38' 10.2" E.</b>
<b>M<sub>2</sub>:</b>	<b>14° 28' 30.0" N.,</b>	<b>120° 38' 21.0" E.</b>
<b>M<sub>3</sub>:</b>	<b>14° 28' 48.0" N.,</b>	<b>120° 38' 31.8" E.</b>
<b>M<sub>4</sub>:</b>	<b>14° 28' 30.0" N.,</b>	<b>120° 38' 43.2" E. (with radius of 300 m)</b>
<b>M<sub>5</sub>:</b>	<b>14° 28' 48.0" N.,</b>	<b>120° 38' 54.0" E.</b>
<b>M<sub>6</sub>:</b>	<b>14° 28' 30.0" N.,</b>	<b>120° 39' 09.0" E.</b>
<b>M<sub>7</sub>:</b>	<b>14° 28' 48.0" N.,</b>	<b>120° 39' 19.2" E.</b>

NAMRIA Charts affected: 1501, 4200, 4211, 4255, 4705, 4706, 4714, 4726A (PPA Memo Circular No. 023/1997; H.D. 113/13)

**II  
NOTICES TO MARINERS**

**10(184)13 – MINDANAO, SE COAST, Davao Gulf – Light name changed**

Change name of light station:

from: **LS Calian Point** to: **LS Talagutong**  
**Position: 06° 15' 00" N., 125° 41' 10" E.**

NAMRIA Charts affected: 4200, 4608, 4708  
 (Admiralty List of Lights and Fog Signals, Volume F 2012/13; H.D. 147/13)

**10(185)13 – NEGROS, W COAST, Pontevedra – Light**

**PONTEVEDRA LIGHT (F2359.4), position changed:**

from: **10° 22' 42" N., 122° 51' 48" E.**  
 to: **10° 22' 40.2" N., 122° 51' 49.2" E. (WGS-84)**

NAMRIA Charts affected: 1546, 4200, 4416, 4706, 4708, 4718  
 (Admiralty List of Lights and Fog Signals, Volume F 2012/13; H.D. 156/13)

**\*10(186)13 – LUZON, W COAST, Mariveles Harbor – Wreck, Obstructions, Buoy, Depth**

Delete the following symbols:

Wreck	<b>14° 25' 41" N.,</b>	<b>120° 30' 28" E.</b>
Wreck	<b>14° 25' 43" N.,</b>	<b>120° 29' 54" E.</b>
Wreck	<b>14° 26' 04.5" N.,</b>	<b>120° 29' 51.3" E.</b>
Wreck	<b>14° 25' 53.0" N.,</b>	<b>120° 29' 42.1" E.</b>
Sunken Wreck	<b>14° 25' 56.4" N.,</b>	<b>120° 29' 23.3" E.</b>
Obstruction	<b>14° 26' 02.8" N.,</b>	<b>120° 29' 16.2" E.</b>
Obstruction	<b>14° 25' 25.4" N.,</b>	<b>120° 29' 32.3" E.</b>
Obstruction	<b>14° 25' 19.0" N.,</b>	<b>120° 29' 28.5" E.</b>
Obstruction	<b>14° 25' 09.3" N.,</b>	<b>120° 30' 06.2" E.</b>
Buoy	<b>14° 25' 43.0" N.,</b>	<b>120° 29' 36.8" E.</b>

Change depth from **2<sub>1</sub> fms** to **2<sub>4</sub> fms** at position:

**14° 24' 38.5" N., 120° 30' 07.5" E.**

*(Approximate positions)*

NAMRIA Charts affected: 1501, 4200, 4211, 4255, 4705, 4706, 4714, 4723A, 4726A  
 (NAMRIA-HB Field Report; H.D. 157/13)

**\*10(187)T/13 – LUZON, W COAST, Capones Island – Light**

**CAPONES LIGHT (F2680),** was reported not operating since September 2013.

**Position : 14° 55' 02" N., 120° 00' 27" E.**

NAMRIA Charts affected: 1501, 1502, 4200, 4210, 4211, 4255, 4705, 4706, 4723A, 4726A  
 (PCG NM No. 115 of 2013; H.D. 160/13)

**III  
NAVPIL INFORMATION**

Date: 18 October 2013  
 Reference No.: H.D. 154/13

**MESSAGE**

**NAVPIL 070/13 – PHILIPPINE WATERS – MAINTENANCE WORK**

**SHELL PHILIPPINES EXPLORATION (SPEX) IS SCHEDULED TO CONDUCT MAINTENANCE WORK STARTING AROUND THE WEEK OF 17 OCTOBER 2013 AND FOR AROUND 5 TO 6 WEEKS, SEA AND WEATHER PERMITTING, THEIR MALAMPAYA PHASE-2 INTERVENTION CAMPAIGNS, UTILIZING DOF SUBSEA'S CONSTRUCTION/ROV SUPPORT VESSEL "M/V SKANDI HAWK" MOBILIZING EX-SINGAPORE TO BATANGAS FOR HER PHILIPPINE ENTRY CLEARANCE BEFORE HEADING OFFSHORE NORTHWEST PALAWAN, AS PART OF THEIR PETROLEUM DEVELOPMENT ACTIVITIES UNDER THEIR SERVICE CONTRACT (SC) NO. 38 WITH THE DEPARTMENT OF ENERGY (DOE).**

**SCOPE OF WORK**

**THE MALAMPAYA DEEP-WATER GAS MANIFOLD IS LOCATED IN APPROXIMATELY 820M OF WATER, LOCATED 11.643386 DEGS NORTH, 118.904724 DEGS EAST IN SOUTH CHINA SEA, NORTHWEST OFF PALAWAN ISLAND. TWO NEW WELLS HAVE BEEN INSTALLED IN EARLY 2013 THAT REQUIRE JUMPER INSTALLATION AND CONNECTIONS TO THE EXISTING MANIFOLD. IN ADDITION, MALAMPAYA SHUTDOWN MAINTENANCE ACTIVITIES WILL BE COMPLETED: MALAMPAYA SHUTDOWN CAMPAIGN 2013 CONSIST OF JUMPER INSTALLATION (X2), FLYING LEAD INSTALLATION, FLYING LEAD REPLACEMENT, DISTRIBUTION UNIT CHANGE OUT, LTPC BLANKING PLATE REPLACEMENT (X2), SCM CHANGE OUT (X3), CHOKE CHANGE OUT.**

**COORDINATES OF WORK LOCATIONS:**

<b>WAY POINT COORDINATES</b>		
<b>POINT A</b>	<b>11° 39' 00" N.</b>	<b>118° 54' 00" E.</b>
<b>POINT B</b>	<b>11° 39' 00" N.</b>	<b>118° 54' 30" E.</b>
<b>POINT C</b>	<b>11° 38' 00" N.</b>	<b>118° 54' 30" E.</b>
<b>POINT D</b>	<b>11° 38' 00" N.</b>	<b>118° 54' 00" E.</b>

**III**  
**NAVPIL INFORMATION**

Date: 18 October 2013  
Reference No.: HD 152/13

**MESSAGE**

**NAVPIL 068/13 – SURIGAO STRAIT – SURVEY**

**EGS ASIA INC., A PHILIPPINE SURVEY COMPANY CONTRACTED BY NATIONAL GRID CORPORATION OF THE PHILIPPINES (NGCP), WILL CARRY OUT SURVEY OF THE SURIGAO STRAIT UTILIZING MARINA REGISTERED VESSEL BETWEEN THE DATES 01 NOVEMBER TO 20 DECEMBER 2013 ON AREA BOUNDED BY THE FOLLOWING COORDINATES:**

**POINT A: 10° 22.408' N., 125° 15.418' E.**  
**POINT B: 10° 21.222' N., 125° 32.908' E.**  
**POINT C: 09° 49.756' N., 125° 39.925' E.**  
**POINT D: 09° 42.283' N., 125° 36.139' E.**  
**POINT E: 09° 48.537' N., 125° 26.266' E.**  
**POINT F: 09° 54.501' N., 125° 15.802' E.**

**(PHILIPPINE CHARTS AFFECTED: 4200, 4603, 4708, 4719)**

**ALL SHIPS/WATERCRAFTS TRANSITING THE ABOVE-MENTIONED AREA ARE ADVISED TO TAKE THE NECESSARY PRECAUTIONARY MEASURES.**

**II**  
**NOTICES TO MARINERS**

**\*10(188)13 – SULU SEA, Cagayancillo Island – Light**

**APAO LIGHT (F2339)**, restored to normal operation since October 2013.

**Position: 09° 34' 48" N., 121° 12' 06" E.**  
**Characteristics: FI (2) W 5s**

NAMRIA Charts affected: 4200, 4356, 4707, 4708  
(PCG NM No. 115 of 2013; H.D. 160/13)

**\*10(189)13 – PALAWAN, N COAST, Bantac Island – Light**

**BANTAC ISLAND LIGHT (F2574.5)**, restored to normal operation since October 2013.

**Position: 12° 12' 45" N., 120° 23' 25" E.**  
**Characteristics: FI (3) W 10s**

NAMRIA Charts affected: 4200, 4305, 4314, 4706, 4714, 4723A, 4726A  
(PCG NM No. 115 of 2013; H.D. 160/13)

**\*10(190)13 – CEBU, W COAST, Toledo – Light changed**

**TOLEDO LIGHT (F2363)**, restored to normal operation and characteristics changed since October 2013.

**Position: 10° 22' 36.78" N., 123° 38' 06.08" E. (WGS-84)**  
**Characteristics: from: FI W 5s to: F R**

NAMRIA Charts affected: 4200, 4428, 4706, 4708, 4718  
(PCG NM No. 115 of 2013; H.D. 160/13)

**\*10(191)T/13 – CEBU, NW COAST, Hagnaya Bay – Light**

**HAGNAYA LIGHT (F2360)**, was reported not operating since August 2013.

**Position: 11° 07' 08" N., 123° 56' 25" E.**

NAMRIA Charts affected: 1538, 4200, 4405, 4465, 4706, 4718, 4719  
(PCG NM No. 115 of 2013; H.D. 160/13)

**\*10(192)13 – MINDANAO, N COAST, Macabalan Point – Light**

**MACABALAN LIGHT (F2266)**, position and structure changed:

**Position: from 08° 30' 20" N., 124° 39' 43" E.**  
**to 08° 30' 25.26" N., 124° 39' 42.34" E. (WGS-84)**

**Structure: from White metal tower, 16 m**  
**to White steel and GRP tower**

NAMRIA Charts affected: 4200, 4604, 4639, 4708, 4719  
(NAMRIA-HB Field Report; H.D. 163/13)

**II**  
**NOTICES TO MARINERS**

**\*10(193)13 – MINDANAO, N COAST, Opol – Light**

**LUYONG BONBON LIGHT** (F2266.5), position and structure changed:

**Position:** from **08° 31' 58" N., 124° 34' 17" E.**  
to **08° 31' 50.12" N., 124° 34' 24.58" E.** (WGS-84)

**Structure:** Gray concrete tower, 11

NAMRIA Charts affected: 4200, 4604, 4708, 4719  
(NAMRIA-HB Field Report; H.D. 163/13)

**\*10(194)T/13 – MINDANAO, N COAST, Balingoan – Light**

**CANAUAYON, BALINGOAN LIGHT** (F2264), was reported not operating since October 2013 with position and structure changed:

**Position:** from **09° 00' 23" N., 124° 50' 42" E.**  
to **09° 00' 20.4" N., 124° 50' 44.6" E.** (WGS-84)

**Structure:** from: **Mast** to: **Grey concrete tower**

NAMRIA Charts affected: 4200, 4604, 4639, 4708, 4719  
(NAMRIA-HB Field Report; H.D. 163/13)

**\*10(195)13 – MINDANAO, N COAST, Macajalar Bay – Light**

**BALINGASAG LIGHT** (F2264.5), position changed:

**Position:** from **08° 42' 24" N., 124° 44' 45" E.**  
to **08° 42' 48.5" N., 124° 45' 18.2" E.** (WGS-84)

NAMRIA Charts affected: 4200, 4604, 4708, 4719  
(NAMRIA-HB Field Report; H.D. 163/13)

**\*10(196)13 – MINDANAO, N COAST, Tagoloan River – Island name**

Delete "**Puluc I**" at position,

**Position:** **08° 33' 20" N., 124° 44' 25" E.** (Luzon Datum)

NAMRIA Charts affected: 4604, 4719  
(NAMRIA-HB Field Report; H.D. 163/13)

**\*10(197)13 – PANAY, S COAST, Iloilo River Entrance – Light changed**

**ILOILO JETTY (RED) LIGHT** (F2326.2), restored to normal operation since 19 September 2013 with characteristics changed:

**Position:** **10° 41' 36.562" N., 122° 35' 06.265" E.** (WGS-84)  
**Characteristics:** from **Fl R 5s** to **Fl R 4s**

NAMRIA Charts affected: 1546, 4200, 4405, 4416, 4448, 4706, 4708, 4718  
(PCG NM No. 118 of 2013; H.D. 164/13)

**III**  
**NAVPHIL INFORMATION**

Date: 11 October 2013  
Reference No.: H.D. 151/13

**MESSAGE**

**NAVPHIL 067/13 – BUSUANGA, PALAWAN – SEISMIC SURVEY**

**AN NUR LACERTA MARINE SERVICES PHILS., INC., FOR AND IN BEHALF OF SEABIRD EXPLORATION ASIA PACIFIC PTE. LTD. FOR SURVEY VESSEL "M/V VOYAGER EXPLORER" (MOTHER VESSEL) IN COORDINATION WITH CHASE VESSELS (M/V SOUTHERN CROSS, M/V NORTHERN PRINCE AND M/V NORTHERN ICE) SHALL CONDUCT SEISMIC SURVEY ACQUISITION OFFSHORE BUSUANGA, PALAWAN, PHILIPPINES UNDER SERVICE CONTRACT (SC) NO. 6A (OCTON BLOCK) OVER THE WEST PHILIPPINE SEA.**

**SEISMIC SURVEY WILL START 11 OCTOBER 2013 UP TO ONE TO TWO MONTHS DURATION OF WORK. WITHIN THE AREA BOUNDED BY THE FOLLOWING ADJUSTED COORDINATES:**

**POINT A: 12° 25' 07.43" N., 119° 36' 09.73" E.**  
**POINT B: 12° 20' 59.68" N., 119° 44' 54.72" E.**  
**POINT C: 12° 07' 27.83" N., 119° 37' 13.23" E.**  
**POINT D: 12° 12' 22.79" N., 119° 28' 33.15" E.**

**(PHILIPPINE CHARTS AFFECTED: 4200, 4314, 4706, 4714)**

**ALL SHIPS/WATERCRAFTS TRANSITING THE ABOVE-MENTIONED AREA ARE ADVISED TO TAKE THE NECESSARY PRECAUTIONARY MEASURES.**

**NOTE: CANCEL NAVPHIL 055/13**

**III  
NAVPHIL INFORMATION**

Date: 28 May 2013  
Reference No.: HD 061/13

**MESSAGE**

**NAVPHIL 031/13 – PHILIPPINE WATERS – VESSELS' ROUTE AND OIL DRILLING**

**A. VESSELS ROUTE: SEMI – SUBMERSIBLE DRILLING RIG “OCEAN PATRIOT”, OWNED AND OPERATED BY DIAMOND OFFSHORE, SHALL BE TOWED BY AHTS “M/V PACIFIC BATTIER” AT THE SPEED OF APPROXIMATELY 4 TO 5 KNOTS FROM SINGAPORE DEPARTING 23 MAY 2013 TO SC 14-C GALOC WELL LOCATION OFFSHORE NORTHWEST PALAWAN COVERING A DISTANCE OF APPROXIMATELY 1,238.52 NAUTICAL MILES AND 21TH ETA–GALOC WELL DRILL SITE 01 JUNE 2013 LATEST, SEA AND WEATHER PERMITTING, FOLLOWING THE COORDINATES BELOW:**

WAY POINT COORDINATES		
BATATUAMPUR	01° 14' 4.80" N.	103° 58' 22.8" E.
T. PERGAM	01° 16.48' N.	104° 19' 18.0" E.
EASTERN BANK	01° 38' 10.09" N.	104° 36' 4.36" E.
PULAU-PULA PENGIBO	01° 11.0' N.	104° 29.0' E.
PULAU BUNGARAN	03° 31.0' N.	108° 37.0' E.
NTH LUCONIA SHOALS	06° 04.0' N.	112° 00.0' E.
COMMODORE REEF	07° 40.0' N.	116° 00.0' E.
GALOC FIELD	11° 54.0' N.	119° 00.0' E.
RUN IN COURSE	11° 54.0' N.	119° 12' 30.0" E.
WELL LOCATION	11° 58' 34.50" N.	119° 18' 13.14" E.

**B. OIL DRILLING: RIG OCEAN PATRIOT ASSISTED ONSITE DURING DRILLING OPERATIONS AND FOR REQUIRED CARGO RUNS AT PNO-C ENERGY SUPPLY BASE IN MABINI, BATANGAS AND ASIA SUPPLY BASE IN LABUAN, MALAYSIA ATHS M/V PACIFIC BATTIER AND M/V MAERSK SEARCHER AND MPV M/V EXECUTIVE VALOUR WILL BE DRILLING IN THE FOLLOWING LOCATIONS FOR A TARGETED MAXIMUM PERIOD OF SIX (6) MONTHS, SEA, WEATHER AND OTHER CONDITIONS PERMITTING.**

GALOC-5 WELL	LATITUDE: 11° 58' 57.484" N. (1,325,683 METERS)
	LONGITUDE: 119° 18' 21.914" E. (751,117 METERS)
GALOC-6 WELL	LATITUDE: 11° 58' 58.041" N. (1,325,700 METERS)
	LONGITUDE: 119° 16' 21.357" E. (752,100 METERS)
GALOC MID WELL	LATITUDE: 12° 00' 33.870" N. (1,328,650 METERS)
	LONGITUDE: 119° 18' 38.700" E. (751,600 METERS)

**ALL SHIPS/WATERCRAFTS TRANSITING THE ABOVE MENTIONED AREAS ARE ADVISED TO TAKE THE NECESSARY PRECAUTIONARY MEASURES.**

**II  
NOTICES TO MARINERS**

**\*10(198)13 – GUIMARAS, W COAST, Lusaran Point – Light**

**LUSARAN POINT LIGHT (F2328)**, restored to normal operation since 19 September 2013.

**Position: 10° 28' 57" N., 122° 28' 23" E.**  
**Characteristics: FI (2) W 10s**

NAMRIA Charts affected: 1546, 4200, 4415, 4416, 4706, 4708, 4718  
(PCG NM No. 118 of 2013: H.D. 164/13)

**\*10(199)13 – NEGROS, W COAST, Bacolod – Light**

**BREDCO LIGHT (F2358.5)**, restored to normal operation since 19 September 2013.

**Position: 10° 41' 05" N., 122° 56' 13" E.**  
**Characteristics: FI W 5s**

NAMRIA Charts affected: 1546, 4200, 4405, 4416, 4706, 4708, 4718  
(PCG NM No. 118 of 2013: H.D. 164/13)

**\*10(200)13 – NEGROS, NE COAST, Tañon Strait – Light**

**ESCALANTE LIGHT (F2356.4)**, restored to normal operation since 18 September 2013.

**Position: 10° 49' 03" N., 123° 33' 30" E.**  
**Characteristics: F R**

NAMRIA Charts affected: 4200, 4405, 4428, 4463, 4706, 4718  
(PCG NM No. 118 of 2013: H.D. 164/13)

**\*10(201)13 – NEGROS, W COAST, Pulupandan – Light**

**PULUPANDAN LIGHT (F2359)**, restored to normal operation since 18 September 2013.

**Position: 10° 31' 14.70" N., 122° 47' 39.57" E. (WGS-84)**  
**Characteristics: FI (2) W 5s**

NAMRIA Charts affected: 1546, 4200, 4416, 4706, 4708, 4718  
(PCG NM No. 118 of 2013: H.D. 164/13)

**\*10(202)13 – PANAY, SW COAST, Patnongon – Light**

**AMPARO LIGHT (F2335)**, restored to normal operation since 19 September 2013.

**Position: 10° 55' 30" N., 121° 58' 53" E.**  
**Characteristics: FI W 5s**

NAMRIA Charts affected: 1545, 4200, 4415, 4706, 4707, 4718  
(PCG NM No. 118 of 2013: H.D. 164/13)

**II  
NOTICES TO MARINERS**

**\*10(203)13 – SAMAR, OFF NW COAST, Capul Island – Light**

**CAPUL ISLAND LIGHT** (F2492), restored to normal operation since September 2013.

**Position:** 12° 28' 58" N., 124° 08' 24" E.  
**Characteristics:** FI W 7s

NAMRIA Charts affected: 4200, 4220, 4258, 4706, 4715, 4726A  
(PCG NM No. 118 of 2013: H.D. 164/13)

**\*10(204)T/13 – SAMAR, OFF W COAST, Sto. Niño Island – Light**

**STO. NIÑO LIGHT** (F2468), was reported not operating since September 2013.

**Position:** 10° 53' 30" N., 124° 27' 53" E.

NAMRIA Charts affected: 4200, 4420, 4706, 4719  
(PCG NM No. 118 of 2013: H.D. 164/13)

**\*10(205)T/13 – LEYTE, S COAST, Saint Bernard – Light**

**ST. BERNARD LIGHT** (F2426.6), was reported not operating since September 2013.

**Position:** 10° 16' 48" N., 125° 08' 12" E.

NAMRIA Charts affected: 4200, 4424, 4603, 4708, 4719  
(PCG NM No. 118 of 2013: H.D. 164/13)

**\*10(206)T/13 – LEYTE, SE COAST, Cabugan Grande Island – Light**

**SAN PEDRO LIGHT** (F2425), was reported not operating since September 2013.

**Position:** 10° 28' 30" N., 125° 13' 30" E.

NAMRIA Charts affected: 1518, 4200, 4424, 4603, 4706, 4708, 4719  
(PCG NM No. 118 of 2013: H.D. 164/13)

**\*10(207)T/13 – LEYTE, W COAST, Port Palompon – Light**

**PALOMPON LIGHT** (F2444), was reported not operating since September 2013.

**Position:** 11° 03' 13" N., 124° 22' 55" E.

NAMRIA Charts affected: 4200, 4405, 4427, 4456, 4706, 4719  
(PCG NM No. 118 of 2013: H.D. 164/13)

**III  
NAVPHIL INFORMATION**

Date: 04 April 2013  
Reference No.: HD 041/13

**MESSAGE**

**NAVPHIL 018/13 – WEST PHILIPPINE SEA – OIL DRILLING OPERATIONS**

**THE GALOC PRODUCTION COMPANY (GPC) WILL UTILIZE SEMI-SUBMERSIBLE “OCEAN PATRIOT” (MODU) TO CONDUCT DRILLING OF THREE (3) OIL WELLS IN THE WEST PHILIPPINE SEA BETWEEN THE PERIODS 15 MAY 2013 TO 15 NOVEMBER 2013 WITHIN PETROLEUM SERVICE CONTRACT NO.14 UNDER THE OPERATORSHIP OF THE GPC, SERVICE CONTRACTOR OF THE DEPARTMENT OF ENERGY (DOE).**

**THE OCEAN PATRIOT WILL BE DEPLOYED WITH THREE (3) SUPPORT VESSELS TO ASSIST THE REQUIREMENT OF THE DRILLING OPERATIONS IN THE FOLLOWING AREAS:**

AREAS	POSITION	
	LATITUDE	LONGITUDE
GALOC – 5 WELL	11° 58' 57.484" N	119° 18' 21.914" E
GALOC – 6 WELL	11° 58' 58.041" N	119° 18' 21.357" E
GALOC MID WELL	12° 00' 33.870" N	119° 18' 38.700" E
FLOATING PRODUCTION STORAGE OFF LOADING	11° 58' 41.000" N	119° 18' 41.000" E

**ALL SHIPS/WATERCRAFTS TRANSITING THE VICINITY OF THE ABOVE MENTIONED AREAS ARE ADVISED TO KEEP CLEAR, AT LEAST TWO (2) NAUTICAL MILES RADIUS, AROUND THE RIG, TAKE NOTE OF THE INFORMATION AND IMPLEMENT THE NECESSARY PRECAUTIONARY MEASURES.**