



# PHILIPPINE NOTICES TO MARINERS

**Edition No.: 07**  
**31 July 2019**

**Notices Nos.: 047 to 051**

---

## **CONTENTS**

- I Index of Charts Affected
  - II Notices to Mariners
  - III Corrections to Nautical Publications
  - IV Navigational Warnings
  - V Publication Notices
- 

Produced by the Hydrography Branch

Published by the  
Department of Environment and Natural Resources  
**NATIONAL MAPPING AND RESOURCE INFORMATION AUTHORITY**

Notices to Mariners – Philippine edition are now on- line at  
***[http:// www.namria.gov.ph/download.php](http://www.namria.gov.ph/download.php)***

*Subscription may be requested thru e-mail at [icsu\\_hd@namria.gov.ph](mailto:icsu_hd@namria.gov.ph)*

**THE PHILIPPINE NOTICES TO MARINERS** is the monthly publication produced by the Hydrography Branch of the National Mapping and Resource Information Authority (NAMRIA). It contains the recent charts correction data, updates to nautical publications, and other information that is vital for the safety of navigation on Philippine waters.

Copies in digital format may be obtained by sending a request through e-mail address: [oss@namria.gov.ph](mailto:oss@namria.gov.ph) or by downloading at the NAMRIA website: [www.namria.gov.ph/download.php](http://www.namria.gov.ph/download.php).

Masters of vessels and other concerned are requested to advance any report of dangers to navigation and other information affecting Philippine Charts and Coast Pilots which may come to their attention to the **Director, Hydrography Branch**. If such information warrants urgent attention like for instance the non-existence of aids to navigation or failure of light beacons or similar structure or discovery of new shoals, all concerned are requested to contact NAMRIA directly through the following portals:

Mail: NAMRIA-Hydrography Branch, 421 Barraca St., San Nicolas, 1010 Manila, Philippines

E-mail: [maritime.affairs@namria.gov.ph](mailto:maritime.affairs@namria.gov.ph)

Fax: (+632) 242-2090


The Hydrographic Note form at the back cover page of this publication must be used in reporting information on dangers to navigation, lighted aids, and other features that should be included in the nautical charts.

# Explanatory Notes

- The Philippine Notices to Mariners is divided to following sections:

**Section I. Index of Charts Affected** – Contains the list of all nautical charts which have been affected by Notices to Mariners and the notice numbers which have affected them.

**Section II-A. Notices to Mariners** - Contains corrections to nautical charts in sequential number with the indication of the month and year of its issuance. The illustration below describes the elements that comprise a typical notice:



Notice No. preceded by asterisk “ \* ” indicates that the information is based upon original Philippine source.

**Section II-B. Temporary & Preliminary Notices** – Contains Notices to Mariners that temporarily affects the nautical charts or have preliminary information that is subject to further verification. The capital “P” or “T” affixed in the number of any notice denotes “preliminary” or “temporary”, respectively.

A list of Temporary and Preliminary Notices that are still in force, as well as those that are canceled, is published in this publication every month. The list may be read on page iv.

**Section III-A. Corrections to List of Lights** – Contains the corrections to the latest edition of the Philippine List of Lights. The entire entry for each light will be printed and the columns that contains updates will be denoted by an asterisk “ \* ”. All columns will be denoted by asterisks in the case of new lights.

This section is intended to be cut out and pasted on the section of the List of Lights that is being corrected.

All updates to lighted aids, including their operational status, will be published in this section. All directions and bearings are measured clockwise from true the North 000° to 360°. Bearing on lights is based on the observer from seaward toward the light. The visibility assigned to the lights never exceeds the calculated distance at which they can be seen from a height of 4.57 meters above the level of the water at high tide.

Changes in aids to navigation, their maintenance and correction of deficiencies in operation are under the operation of the Philippine Coast Guard. Report of defects and recommendations concerning aids to navigation should be forwarded to the Commandant of the Philippine Coast Guard.

**Section III-B. Coast Pilot Corrections** – Contains the corrections to the latest edition of the Philippine Coast Pilot book.

**Section IV. Navigational Warnings** – Contains the reprints of all previously issued navigational warnings that are still in effect as of the publication date of this edition of the Philippine Notices to Mariners.

**Section V. Publication Notices** – Contains the latest updates on the nautical charts, electronic navigational charts, and other nautical publications of NAMRIA.

2. NAMRIA issues Notices to Mariners and Navigational Warnings sourced from private entities, foreign publications, national government agencies, and local government units. Such information is published for the sake of safety of navigation on Philippine waters and does not imply recognition of the legal validity of the information issued by the abovementioned sources.
3. While every effort is made to ensure the accuracy of NAMRIA nautical charts and publications, users should bear in mind that it may not be complete or up-to-date, especially in areas where there are extensive developments. Mariners are advised to exercise prudence and to also refer to all navigational equipment aboard ship and use a lookout during navigation.
4. Masters of vessels are warned that great care should be exercised in navigating Philippine waters because of the low visibility and occasional failure of some navigational lights. Buoys and beacons are sometimes lost or destroyed specially after typhoons. Temporary deficiencies in the standard aids to navigation published in this office may have been corrected before subsequent notice is issued.
5. Positions obtained from satellite navigation systems, such as GPS, are normally referred to the WGS-84 Datum. Such position may only be plotted on NAMRIA nautical charts that are also referred to the WGS-84 Datum. Mariners should take note that due to the age and quality of some of information, such satellite-derived positions may be more accurate than charted details.

# **List of Temporary and Preliminary Notices**

(in force as of 31 July 2019)

- 05(036)P/19 – LUZON, W. COAST, Subic Bay – Buoy
- 04(023)P/19 – MINDANAO, N. COAST, Iligan Bay – Buoy
- 11(063)P/18 – LUZON, W. COAST, Subic Bay – Wreck
- 10(055)P/18 – LUZON, W. COAST, Manila Harbor – Wreck
- 06(033)P/18 – LUZON, W. COAST, San Fernando Harbor – Buoy
- 01(004)P/18 – SULU ARCHIPELAGO – Recommended Route
- 07(040)P/17 – MINDANAO, W. COAST, Moro Gulf – Recommended Route
- 02(014)P/17 – MINDANAO, N. COAST, Butuan Bay – Submarine Pipeline

## TABLE OF CONTENTS

Index of Charts Affected	1
Notices to Mariners	2
Temporary & Preliminary Notices	
List of Lights Corrections	11
Coast Pilot Corrections	
Navigational Warnings	12
Publication Notices	24

I

**INDEX OF CHARTS AFFECTED**

<b>Chart No.</b>	<b>Notices Nos.</b>		<b>Chart No.</b>	<b>Notices Nos.</b>
1520	07(049)19		4603	07(049)19
1544	07(047)19		4628	07(049)19
1545	07(047)19		4629	07(049)19
1546	07(047)19		4705	07(050)19
1551	07(047)19		4706	07(047)19
1552	07(047)19		4707	07(047)19
4205	07(050)19		4708	07(047)19
				07(048)19
4305	07(047)19			07(049)19
4315	07(047)19		4714	07(047)19
4316	07(047)19		4716	07(047)19
4317	07(047)19		4718	07(047)19
4340	07(047)19		4723	07(051)19
4351	07(047)19		4723A	07(051)19
4415	07(047)19			

## II

# NOTICES TO MARINERS

### **\*07(047)19 – SULU SEA, Northern Part – Submarine Cable**

Chart 1544 1Ed 02/02/2012 [WGS-84 Datum] Last NM 04(013)18


Insert  joining: 12° 15.00' N., 120° 56.10' E. (shore)  
12° 21.30' N., 121° 03.20' E. (W border)

Chart 1545 1Ed 02/02/2012 [WGS-84 Datum] Last NM 12(279)15


Insert  joining: 10° 36.00' N., 121° 05.00' E. (W border)  
10° 36.00' N., 121° 21.90' E.  
10° 46.03' N., 121° 47.81' E.  
10° 47.33' N., 121° 53.13' E.  
10° 48.04' N., 121° 56.68' E. (shore)

Chart 1546 1Ed 02/02/2012 [WGS-84 Datum] Last NM 06(045)19




Insert  joining: 10° 39.14' N., 121° 30.00' E. (W border)  
10° 46.03' N., 121° 47.81' E.  
10° 47.33' N., 121° 53.13' E.  
10° 48.04' N., 121° 56.68' E. (shore)

Chart 1551 1Ed 02/29/2012 [WGS-84 Datum] Last NM 05(035)19

Insert  joining: 10° 46.87' N., 120° 12.00' E. (W border)  
10° 45.08' N., 120° 19.87' E.  
10° 35.91' N., 120° 44.29' E.  
10° 35.98' N., 121° 14.00' E. (E border)

 joining: 11° 05.70' N., 120° 11.50' E. (W border)  
11° 08.30' N., 120° 20.00' E.  
11° 16.10' N., 120° 22.70' E.  
11° 45.80' N., 120° 42.10' E.  
11° 50.60' N., 120° 42.50' E.  
11° 51.50' N., 120° 45.50' E.  
12° 01.30' N., 120° 53.90' E.  
12° 02.00' N., 120° 54.01' E. (N border)



## II NOTICES TO MARINERS

### \*07(047)19 – SULU SEA, Northern Part – Submarine Cable (continued)

Chart 1551 1Ed 02/29/2012 [WGS-84 Datum] Last NM 05(035)19



Insert  joining: 11° 59.80' N., 120° 14.00' E. (shore)  
11° 55.50' N., 120° 25.40' E.  
11° 50.60' N., 120° 42.50' E.

Chart 1552 1Ed 02/29/2012 [WGS-84 Datum] Last NM 05(035)19

Insert  joining: 11° 45.28' N., 120° 41.76' E. (S border)  
11° 45.80' N., 120° 42.10' E.  
11° 50.60' N., 120° 42.50' E.  
11° 51.50' N., 120° 45.50' E.  
12° 01.30' N., 120° 53.90' E.  
12° 15.00' N., 120° 56.10' E.  
12° 21.30' N., 121° 03.20' E. (shore)



 joining: 11° 59.80' N., 120° 14.00' E. (shore)  
11° 55.50' N., 120° 25.40' E.  
11° 50.60' N., 120° 42.50' E.

Chart 4305 2Ed 12/07/1992 [Luzon Datum] Last NM 05(027)19

Insert  joining: 11° 44.98' N., 120° 41.43' E. (S border)  
11° 45.88' N., 120° 42.01' E.  
11° 50.68' N., 120° 42.41' E.  
11° 51.58' N., 120° 45.41' E.  
12° 01.38' N., 120° 53.81' E.  
12° 15.08' N., 120° 56.01' E.  
12° 21.38' N., 121° 03.12' E. (shore)



 joining: 11° 59.88' N., 120° 13.91' E. (shore)  
11° 55.58' N., 120° 25.31' E.  
11° 50.68' N., 120° 42.41' E.


Chart 4315 1Ed 03/12/1962 Rev 06/11/1990 [Luzon Datum] Last NM 01(002)18

Insert  joining: 11° 08.38' N., 120° 19.91' E. (S border)  
11° 16.18' N., 120° 22.61' E. (E border)

## II NOTICES TO MARINERS

### **\*07(047)19 – SULU SEA, Northern Part – Submarine Cable (continued)**

Chart 4316 2Ed 12/13/1993 [Luzon Datum] Last NM 10(053)18

Insert  joining: 10° 49.73' N., 119° 31.10' E. (shore)  
10° 50.36' N., 119° 32.00' E. (E border)



 joining: 10° 49.78' N., 119° 31.01' E. (shore)  
10° 50.66' N., 119° 32.03' E. (E border)

Chart 4317 1Ed 03/10/1958 Rev 07/14/1980 [Luzon Datum] Last NM 05(027)17

Insert  joining: 10° 49.73' N., 119° 31.10' E. (shore)  
10° 50.83' N., 119° 32.66' E.  
10° 51.45' N., 119° 34.12' E.  
10° 54.43' N., 119° 36.53' E.  
10° 54.97' N., 119° 37.14' E.  
10° 55.42' N., 119° 39.38' E.  
10° 55.17' N., 119° 40.51' E.  
10° 53.94' N., 119° 42.84' E.  
10° 52.30' N., 119° 43.87' E.  
10° 51.85' N., 119° 44.49' E.  
10° 50.95' N., 119° 54.26' E.  
10° 47.83' N., 120° 07.99' E. (E border)


 joining: 10° 49.78' N., 119° 31.01' E. (shore)  
10° 55.38' N., 119° 37.51' E.  
10° 54.58' N., 119° 46.41' E.  
11° 04.24' N., 120° 07.98' E. (E border)

Chart 4340 1Ed 06/27/1939 Rev 03/05/1976 [Luzon Datum] Last NM 01(001)17



Insert  joining: 12° 17.30' N., 120° 58.52' E. (W border)  
12° 21.38' N., 121° 03.12' E. (shore)

Chart 4351 2Ed 11/04/1994 [Luzon Datum] Last NM 05(035)19

Insert  joining: 11° 59.88' N., 120° 13.91' E. (shore)  
11° 55.58' N., 120° 25.31' E.  
11° 55.38' N., 120° 26.00' E. (E border)

## II

# NOTICES TO MARINERS

### **\*07(047)19 – SULU SEA, Northern Part – Submarine Cable (continued)**

Chart 4415 1Ed 03/31/1958 Rev 02/27/1989 [Luzon Datum] Last NM 09(208)15




Insert  joining: 10° 46.10' N., 120° 47.72' E. (W border)  
10° 47.40' N., 120° 53.05' E.  
10° 48.12' N., 120° 56.59' E. (shore)

Chart 4706 2Ed 12/2010 [WGS-84 Datum] Last NM 06(045)19

Insert  joining: 10° 49.7' N., 119° 31.2' E. (shore)  
10° 50.8' N., 119° 32.8' E.  
10° 51.4' N., 119° 34.2' E.  
10° 54.4' N., 119° 36.6' E.  
10° 54.9' N., 119° 37.2' E.  
10° 55.3' N., 119° 39.5' E.  
10° 55.1' N., 119° 40.6' E.  
10° 53.9' N., 119° 42.9' E.  
10° 52.2' N., 119° 44.0' E.  
10° 51.8' N., 119° 44.6' E.  
10° 50.9' N., 119° 54.3' E.  
10° 45.1' N., 120° 19.9' E.  
10° 35.9' N., 120° 44.3' E.  
10° 36.0' N., 121° 21.9' E.  
10° 46.0' N., 121° 47.8' E.  
10° 47.3' N., 121° 53.1' E.  
10° 48.0' N., 121° 56.7' E. (shore)

 joining: 10° 49.7' N., 119° 31.1' E. (shore)  
10° 55.3' N., 119° 37.6' E.  
10° 54.5' N., 119° 46.5' E.  
11° 05.7' N., 120° 11.5' E.  
11° 08.3' N., 120° 20.0' E.  
11° 16.1' N., 120° 22.7' E.  
11° 45.8' N., 120° 42.1' E.  
11° 50.6' N., 120° 42.5' E.  
11° 51.5' N., 120° 45.5' E.  
12° 01.3' N., 120° 53.9' E.  
12° 15.0' N., 120° 56.1' E.  
12° 21.3' N., 121° 03.2' E. (shore)

## II NOTICES TO MARINERS

### \*07(047)19 – SULU SEA, Northern Part – Submarine Cable (continued)

Chart 4706 2Ed 12/2010 [WGS-84 Datum] Last NM 06(045)19




Insert  joining: 11° 59.8' N., 120° 14.0' E. (shore)  
11° 55.5' N., 120° 25.4' E.  
11° 50.6' N., 120° 42.5' E.

Chart 4707 2Ed 11/2010 [WGS-84 Datum] Last NM 03(011)19

Insert  joining: 10° 49.7' N., 119° 31.2' E. (shore)  
10° 50.8' N., 119° 32.8' E.  
10° 51.4' N., 119° 34.2' E.  
10° 54.4' N., 119° 36.6' E.  
10° 54.9' N., 119° 37.2' E.  
10° 55.3' N., 119° 39.5' E.  
10° 55.1' N., 119° 40.6' E.  
10° 53.9' N., 119° 42.9' E.  
10° 52.2' N., 119° 44.0' E.  
10° 51.8' N., 119° 44.6' E.  
10° 50.9' N., 119° 54.3' E.  
10° 45.1' N., 120° 19.9' E.  
10° 35.9' N., 120° 44.3' E.  
10° 36.0' N., 121° 21.9' E.  
10° 46.0' N., 121° 47.8' E.  
10° 47.3' N., 121° 53.1' E.  
10° 48.0' N., 121° 56.7' E. (shore)

 joining: 10° 49.7' N., 119° 31.1' E. (shore)  
10° 55.3' N., 119° 37.6' E.  
10° 54.5' N., 119° 46.5' E.  
11° 05.7' N., 120° 11.5' E.  
11° 08.3' N., 120° 20.0' E.  
11° 16.1' N., 120° 22.7' E.  
11° 45.8' N., 120° 42.1' E. (N border)

## II NOTICES TO MARINERS

### **\*07(047)19 – SULU SEA, Northern Part – Submarine Cable (continued)**

Chart 4708 2Ed 11/2010 [WGS-84 Datum] Last NM 06(046)19



Insert  joining: 10° 36.0' N., 121° 10.0' E. (W border)  
10° 36.0' N., 121° 21.9' E.  
10° 46.0' N., 121° 47.8' E. (N border)

Chart 4714 1Ed 09/14/1959 Rev 03/31/1986 [Luzon Datum] Last NM 05(034)19

Insert  joining: 11° 45.0' N., 120° 41.4' E. (S border)  
11° 45.9' N., 120° 42.0' E.  
11° 50.7' N., 120° 42.4' E.  
11° 51.6' N., 120° 45.4' E.  
12° 01.4' N., 120° 53.8' E.  
12° 15.1' N., 120° 56.0' E.  
12° 21.4' N., 121° 03.1' E. (shore)




 joining: 11° 59.9' N., 120° 13.9' E. (shore)  
11° 55.6' N., 120° 25.3' E.  
11° 50.7' N., 120° 42.4' E.

Chart 4716 2Ed 03/12/1984 Rev 10/1986 [Luzon Datum] Last NM 10(053)18


Insert  joining: 10° 49.7' N., 119° 31.1' E. (shore)  
10° 50.8' N., 119° 32.7' E.  
10° 51.4' N., 119° 34.1' E.  
10° 54.4' N., 119° 36.5' E.  
10° 55.0' N., 119° 37.1' E.  
10° 55.4' N., 119° 39.4' E.  
10° 55.2' N., 119° 40.5' E.  
10° 53.9' N., 119° 42.8' E.  
10° 52.3' N., 119° 43.9' E.  
10° 51.8' N., 119° 44.5' E.  
10° 51.0' N., 119° 54.3' E.  
10° 49.0' N., 120° 03.0' E. (E border)

 joining: 10° 49.8' N., 119° 31.0' E. (shore)  
10° 55.4' N., 119° 37.5' E.  
10° 54.6' N., 119° 46.4' E.  
11° 05.8' N., 120° 11.4' E. (E border)

## II NOTICES TO MARINERS

### **\*07(047)19 – SULU SEA, Northern Part – Submarine Cable (continued)**


Chart 4718 1Ed 10/16/1971 Rev 11/24/1975 [Luzon Datum] Last NM 06(046)19

Insert  joining: 10° 36.1' N., 120° 21.8' E. (W border)  
10° 46.1' N., 120° 47.7' E.  
10° 47.4' N., 120° 53.0' E.  
10° 48.1' N., 120° 56.6' E. (shore)

(PLDT & UK Notice No. 2523 of 2017; HD 204/19 & 205/19)

### **07(048)19 – MINDANAO, S. COAST, off Sarangani Is. – Depth**

Chart 4708 2Ed 11/2010 [WGS-84 Datum] Last NM 07(047)19


Insert  at: 05° 11.1' N., 125° 41.5' E. (a)

Delete 1488 at: (a) above

(UK Notice No. 2471 of 2017; HD 205/19)


### **07(049)19 – MINDANAO, N. COAST, Hinatuan Passage – Depth**

Chart 1520 1Ed 05/30/2019 [WGS-84 Datum]

Insert  Rep(2017) at: 09° 30.58' N., 125° 53.22' E. (a)

Delete 49 close NE of (a) above


Chart 4603 1Ed 09/22/1958 Rev 09/08/1975 [Luzon Datum] Last NM 08(041)18

Insert  Rep(2017) at: 09° 30.66' N., 125° 53.13' E. (a)

Delete 22 close N of (a) above

17 close SW of (a) above

Chart 4628 1Ed 05/26/1958 Rev 07/26/1976 [Luzon Datum] Last NM 06(031)18

Insert  Rep(2017) at: 09° 30.66' N., 125° 53.13' E.

## II NOTICES TO MARINERS

### 07(049)19 – MINDANAO, N. COAST, Hinatuan Passage – Depth. (continued)

Chart 4629 3Ed 12/05/1994 [Luzon Datum] Last NM 04(012)18



Insert  *Rep(2017)* at: 09° 30.66' N., 125° 53.13' E.

Chart 4708 2Ed 11/2010 [WGS-84 Datum] Last NM 07(048)19

Insert  *Rep(2017)* at: 09° 30.58' N., 125° 53.22' E. (a)

Delete 55 close NE of (a) above

(UK Notice No. 2554 of 2017; HD 205/19)

### \*07(050)19 – LUZON STRAIT, Batan Islands – Geographic Names

Chart 4205 1Ed 08/16/1968 Rev 01/09/1984 [Luzon Datum] Last NM 09(054)17

Replace	AMIANAN I	with	MAVULIS I	at: 21° 06.90' N., 121° 58.00' E.
	NORTH I	with	MISANGA I	at: 21° 04.10' N., 121° 54.90' E.
	MAYSANGA I	with	A'LI I	at: 20° 55.78' N., 121° 53.78' E.
	MABUDIS I	with	D'TAREM I	at: 20° 56.00' N., 121° 56.50' E.
	DIOGO I	with	DI'NEM I	at: 20° 42.40' N., 121° 56.50' E.

Chart 4705 3Ed 03/2010 [WGS84 Datum] Last NM 01(001)19

Replace	Yami I	with	Mavulis I	at: 21° 06.9' N., 121° 59.3' E.
	North I	with	Misanga I	at: 21° 03.9' N., 121° 58.3' E.
	Mabudis I	with	D'tarem I	at: 20° 55.3' N., 121° 58.5' E.
	Diogo I	with	Di'nem I	at: 20° 42.6' N., 121° 58.1' E.

(Municipality of Itbayat; HD 197/19)

## II NOTICES TO MARINERS

### 07(051)19 – SOUTH CHINA SEA – Depth

Chart 4723 1Ed 01/2008 [WGS-84 Datum] Last NM 04(020)19



- Insert  at: 11° 29.0'N., 109° 34.4'E. (a)  
113 , and extend 200m contour E to enclose, at: 11° 18.3'N., 109° 37.0'E.  
110 at: 11° 03.3'N., 109° 30.3'E. (b)  
131 at: 10° 57.2'N., 109° 28.7'E.  
Delete 102 close N of (a) above  
126 close N of (b) above

Chart 4723A 2Ed 12/22/2018 [WGS-84 Datum] Last NM 05(026)19

- Insert  at: 11° 29.0'N., 109° 34.4'E. (a)  
113 at: 11° 18.3'N., 109° 37.0'E.  
110 at: 11° 03.3'N., 109° 30.3'E. (b)  
131 at: 10° 57.2'N., 109° 28.7'E. (c)  
Delete 102 close N of (a) above  
113 close SW of (a) above  
126 close N of (b) above  
192 close S of (c) above

(UK Notice No. 604 of 2019; HD 208/19)



### III

## LIST OF LIGHTS CORRECTIONS

NUMBER (1)	NAME (2)	POSITION (3)	CHARACTERISTICS (4)	Elev(m) (5)	Range(NM) (6)	STRUCTURE (7)	REMARKS (8)
<b>REGION II – CAGAYAN VALLEY</b>							
<b>BATANES</b>							
0000	F2823	<b>MAVULIS (YÁMI)</b>	21 07 04 N 121 56 51 E	FI W 5s	20	15	White metal post  Vis 200°-310°(110°) In WGS-84 Datum
		*					
<b>REGION IV-A – CALABARZON</b>							
<b>QUEZON</b>							
0117	F2750	BALISCAN ISLAND	14 14 40 N 121 53 58 E	FI W 5s	17	12	White concrete column, 9  <b>TE 2019</b> *
0690	F2747.67	BONGLIW	15 03 31 N 121 56 36 E	FI W 5s	6	10	Concrete  In WGS-84 Datum <b>TE 2019</b> *
<b>REGION IV-B – MIMAROPA</b>							
<b>ROMBLON</b>							
0166	F2532	TUNGGO POINT	12 54 15 N 121 43 16 E	FI W 5s			Concrete  <b>TE 2019</b> *
<b>REGION VI – WESTERN VISAYAS</b>							
<b>GUIMARAS</b>							
0839	F2326.6	JORDAN WHARF	10 40 03 N 122 35 19 E	FI R 5s			White tower  In WGS-84 Datum
		*					
<b>NEGROS OCCIDENTAL</b>							
0459	F2359	PULUPANDAN	10 31 15 N 122 47 40 E	FI R 5s			GRP  In WGS-84 Datum *

Note: Asterisk “\*” indicates new information in the column above it.

## **IV**

### **NAVIGATIONAL WARNINGS**

Date: 23 March 2018

Reference: PCG NTM 062-2018 (HD 055/18)

#### **MESSAGE**

---

**NAVPHIL 036/18 – LUZON, W. COAST, PASIG RIVER – CONSTRUCTION WORKS**

**DUMDUMA CONSTRUCTION AND TRADING CORP. IS CONSTRUCTING THE SAN JUAN RIVER VIADUCT FROM 05 MARCH 2018 TO 31 DECEMBER 2019 WITHIN THE VICINITY OF THE FOLLOWING COORDINATES:**

**14° 35' 26.63"N., 121° 00' 49.67"E.**

**14° 35' 23.39"N., 121° 00' 50.40"E.**

**14° 35' 23.15"N., 121° 00' 51.12"E.**

**ALL SHIPS/WATERCRAFTS TRANSITING THE ABOVE MENTIONED AREA ARE ADVISED TO TAKE NOTE OF THE INFORMATION AND TAKE NECESSARY PRECAUTIONARY MEASURES AT ALL TIMES.**

## **IV**

# **NAVIGATIONAL WARNINGS**

Date: 08 November 2018

Reference: PCG NTM 258-2018 (HD 288/18)

### **MESSAGE**

---

**NAVPIL 173/18 – LUZON, W. COAST, PASIG RIVER – REHABILITATION**

**NAPINDAN HYDRAULIC CONTROL SYSTEM IS BEING REHABILITATED FROM 05 NOVEMBER 2018 TO 11 MARCH 2022 WITHIN THE VICINITY OF THE FOLLOWING COORDINATES:**

**14° 33' 28"N., 121° 04' 06"E.**

**14° 33' 26"N., 121° 04' 10"E.**

**ALL SHIPS/WATERCRAFTS TRANSITING THE VICINITY OF THE ABOVE MENTIONED AREA ARE ADVISED TO TAKE NOTE OF THE INFORMATION AND TAKE NECESSARY PRECAUTIONARY MEASURES AT ALL TIMES.**

## **IV**

# **NAVIGATIONAL WARNINGS**

Date: 12 March 2019

Reference: PCG NTM 059-2019 (HD 056/19)

### **MESSAGE**

---

#### **NAVPHIL 026/19 – LUZON, W. COAST, PASIG RIVER – BRIDGE CONSTRUCTION**

**THE CHINA ROAD AND BRIDGE CORPORATION AND THE DEPARTMENT OF PUBLIC WORKS AND HIGHWAY (DPWH) HAD AN ON-GOING BRIDGE CONSTRUCTION PROJECT ON DATES AND PLACES AS INDICATED:**

- A. VICINITY OF BINONDO – INTRAMUROS MANILA ALONG PASIG RIVER MARCH 2019 TO DECEMBER 2019 IN THE AREA BOUNDED BY THE FOLLOWING COORDINATES:**

**POINT A: 14° 35' 45.22"N., 120° 58' 30.15"E.**  
**POINT B: 14° 35' 45.20"N., 120° 58' 28.35"E.**  
**POINT C: 14° 35' 41.20"N., 120° 58' 28.78"E.**  
**POINT D: 14° 35' 41.41"N., 120° 58' 30.28"E.**

- B. VICINITY OF MANDALUYONG AND MAKATI ESTRELLA – PANTALEON BRIDGE ALONG PASIG RIVER MARCH 2019 TO DECEMBER 2019 IN THE AREA BOUNDED BY THE FOLLOWING COORDINATES:**

**POINT A: 14° 34' 03.23"N., 121° 02' 11.40"E.**  
**POINT B: 14° 34' 01.60"N., 121° 02' 12.01"E.**  
**POINT C: 14° 34' 02.56"N., 121° 02' 18.77"E.**  
**POINT D: 14° 34' 04.65"N., 121° 02' 18.44"E.**

**ALL SHIPS/WATERCRAFTS TRANSITING THE VICINITY OF THE ABOVE MENTIONED AREAS ARE ADVISED TO TAKE NOTE OF THE INFORMATION AND TAKE NECESSARY PRECAUTIONARY MEASURES AT ALL TIMES.**

## **IV**

# **NAVIGATIONAL WARNINGS**

Date: 11 June 2019

Reference: Blue Horizon Shipping Letter (HD 142/19)

### **MESSAGE**

---

**NAVPHIL 063/19 – LUZON, W. COAST, SISIMAN BAY – CONSTRUCTION WORK**

**BLUE HORIZON SHIPPING AND LOGISTIC SERVICES INC., IS CONSTRUCTING A COAL-FIRED POWER GENERATION FACILITY, UTILIZING DREDGER MAN YANG JUN 1, BARGE SAN HANG ZHUANG 16, SAN HANG BO 194 AND SAN HANG BO 191 AT BARANGAY ALAS-ASIN, MARIVELES, BATAAN FROM 05 JUNE 2019 TO 02 SEPTEMBER 2019 AT THIS POSITION:**

**14° 25' 01.18"N., 120° 32' 32.69"E.**

**ALL SHIPS/WATERCRAFTS TRANSITING THE VICINITY OF THE ABOVE MENTIONED AREA ARE ADVISED TO TAKE NOTE OF THE INFORMATION AND TAKE NECESSARY PRECAUTIONARY MEASURES AT ALL TIMES.**

# IV

## NAVIGATIONAL WARNINGS

Date: 14 June 2019

Reference: PCG NTM 153-2019 (HD 147/19)

### MESSAGE

---

**NAVPHIL 067/19 – PHILIPPINE WATERS, NORTHERN PART – CABLE LAYING**

**BENLINE AGENCIES PHILIPPINES INC., UTILIZING “CS DEPENDABLE” IS CONDUCTING SUBMARINE CABLE LAYING IN NORTHERN PART OF THE PHILIPPINES WITH A DURATION OF SIX (6) MONTHS STARTING 08 JUNE 2019 TO 07 DECEMBER 2019 ALONG THE ROUTES DEFINED BY THE FOLLOWING POSITIONS:**

#### SEGMENT 1

**16° 35.9767’N., 120° 18.0467’E.  
20° 52.2869’N., 117° 59.9991’E.  
20° 01.9267’N., 119° 58.3931’E.  
20° 11.6405’N., 123° 48.3331’E.  
20° 17.8653’N., 123° 56.8457’E.  
21° 15.2616’N., 127° 00.0000’E.**

#### SEGMENT 2

**21° 36.0026’N., 123° 56.5031’E.  
20° 17.8653’N., 123° 56.8457’E.  
20° 11.6405’N., 123° 48.3331’E.  
15° 46.1059’N., 121° 33.8427’E.**

**ALL SHIPS/WATERCRAFTS TRANSITING THE VICINITY OF THE ABOVE MENTIONED AREAS ARE ADVISED TO TAKE NOTE OF THE INFORMATION AND TAKE NECESSARY PRECAUTIONARY MEASURES AT ALL TIMES.**

## **IV**

# **NAVIGATIONAL WARNINGS**

Date: 17 June 2019

Reference: PCG NTM 158-2019 (HD 158/19)

### MESSAGE

---

#### **NAVPHIL 069/19 – LUZON W. COAST, MANILA BAY– DREDGING**

**BEN LINE AGENCY PHILIPPINES, INC., UTILIZING “CONGO RIVER” WILL CONDUCT DREDGING WORKS AT MANILA SOUTH HARBOR FAIRWAY FROM PIER 3 TO PIER 15 WITH A DURATION OF TWO (2) MONTHS FROM 20 JUNE 2019 TO 18 AUGUST 2019 IN THE AREA BOUNDED BY THE FOLLOWING COORDINATES:**

<b>POINT 1</b>	<b>14° 34.35512' N,</b>	<b>120° 57.33993' E.</b>
<b>POINT 2</b>	<b>14° 34.258434' N,</b>	<b>120° 57.418086' E.</b>
<b>POINT 3</b>	<b>14° 32.95767' N,</b>	<b>120° 56.317068' E.</b>
<b>POINT 4</b>	<b>14° 33.031950' N,</b>	<b>120° 56.23104' E.</b>
<b>POINT 5</b>	<b>14° 35.316396' N,</b>	<b>120° 57.883782' E.</b>
<b>POINT 6</b>	<b>14° 34.873182' N,</b>	<b>120° 58.308276' E.</b>

**ALL SHIPS/WATERCRAFTS TRANSITING THE ABOVE-MENTIONED AREA ARE ADVISED TO TAKE THE NECESSARY PRECAUTIONARY MEASURES.**

## **IV**

# **NAVIGATIONAL WARNINGS**

Date: 15 July 2019

Reference: PCG NTM 190-2019 (HD 191/19)

### **MESSAGE**

---

**NAVPHIL 087/19 – LUZON, W. COAST, MANILA BAY – MARINE SEDIMENT SURVEY**

**SANDS MINING AND DEVELOPMENT CORPORATION IS CONDUCTING A MARINE SEDIMENT SURVEY OFF CAVITE FROM JULY – AUGUST 2019 WITHIN THE AREA BOUNDED BY THE FOLLOWING COORDINATES:**

**POINT 1: 14° 26' 19"N., 120° 46' 15"E.**  
**POINT 2: 14° 25' 27"N., 120° 47' 19"E.**  
**POINT 3: 14° 23' 18"N., 120° 44' 20"E.**  
**POINT 4: 14° 24' 06"N., 120° 43' 36"E.**

**ALL SHIPS/WATERCRAFTS TRANSITING THE ABOVE MENTIONED AREA ARE ADVISED TO TAKE NOTE OF THE INFORMATION AND TAKE NECESSARY PRECAUTIONARY MEASURES AT ALL TIMES.**



## **IV**

# **NAVIGATIONAL WARNINGS**

Date: 15 July 2019

Reference: PCG NTM 194-2019 (HD 192/19)

### **MESSAGE**

---

**NAVPHIL 088/19 – LUZON, W. COAST, MANILA BAY – INSTALLATION**

**WATERFRONT MANILA PREMIER DEVELOPMENT INC. WILL PUT UP WAVE OBSERVATION APPARATUS TO OBSERVE WAVE HEIGHT, WAVE PERIOD AND WAVE CURRENT FROM JULY 2019 TO 31 JULY 2020 AT THIS POSITION:**

**14° 33' 27"N., 120° 56' 48.6"E.**

**ALL SHIPS/WATERCRAFTS ARE ADVISED NOT TO ANCHOR OR TRAWL IN THE VICINITY OF THE ABOVE MENTIONED POSITION.**

## **IV**

# **NAVIGATIONAL WARNINGS**

Date: 19 July 2019

Reference: PCG NTM 199-2019 (HD 196/19)

### **MESSAGE**

---

**NAVPHIL 089/19 – NEGROS, SW. COAST, SULU SEA – GUNNERY**

**THE PHILIPPINE NAVY (PN) AND ROYAL MALAYSIAN NAVY (RMN) WILL CONDUCT BILATERAL AND GUNNERY EXERCISE ON 07-08 AUGUST 2019 AT VICINITY 5 NAUTICAL MILES SOUTHWEST OFF CANSILAN POINT, NEGROS OCCIDENTAL AT THE FOLLOWING POSITIONS:**

**POINT A: 09° 41.00'N., 121° 54.00'E.  
POINT B: 09° 14.00'N., 122° 48.00'E.  
POINT C: 09° 21.00'N., 122° 21.00'E.  
POINT D: 09° 47.50'N., 121° 27.00'E.**

**ALL SHIPS/WATERCRAFTS TRANSITING THE VICINITY OF THE ABOVE MENTIONED AREAS ARE ADVISED TO TAKE NOTE OF THE INFORMATION AND TAKE NECESSARY PRECAUTIONARY MEASURES AT ALL TIMES.**

## **IV**

# **NAVIGATIONAL WARNINGS**

Date: 19 July 2019

Reference: PCG NTM200-2019 (HD 199/19)

### **MESSAGE**

---

**NAVPHIL 090/19 – LUZON, W. COAST, PAMPANGA BAY – GUNNERY**

**THE PHILIPPINE NAVY VESSELS OF 2<sup>ND</sup> PB DIV PB317, PB320, PB323 AND PB354 WILL CONDUCT TEST FIRING OF THEIR NAVAL GUNS ON 18 AUGUST 2019 AT VICINITY 9.8 NAUTICAL MILES NORTHWEST OFF LAMAO POINT, BATAAN IN THE AREA BOUNDED BY THE FOLLOWING COORDINATES:**

**POINT A: 14° 43.4100'N., 120° 34.1735'E.  
POINT B: 14° 46.7273'N., 120° 37.7520'E.  
POINT C: 14° 39.0600'N., 120° 40.2400'E.  
POINT D: 14° 41.6000'N., 120° 43.2000'E.**

**ALL SHIPS/WATERCRAFTS TRANSITING THE VICINITY OF THE ABOVE MENTIONED AREA ARE ADVISED TO TAKE NOTE OF THE INFORMATION AND TAKE NECESSARY PRECAUTIONARY MEASURES AT ALL TIMES.**

## **IV**

# **NAVIGATIONAL WARNINGS**

Date: 22 July 2019

Reference: PCG NTM 203-2019 (HD 200/19)

### **MESSAGE**

---

#### **NAVPHIL 091/19 – PHILIPPINE WATERS – GUNNERY**

**THE PHILIPPINE NAVY (PN) WILL CONDUCT TEST FIRING OF THEIR NAVAL GUNS ON DATES AND PLACES AS INDICATED:**

- A. BRP GEN MARIANO ALVAREZ (PS38) AT VICINITY 8.7 NAUTICAL MILES EAST OFF MATANAL POINT, BASILAN ON 05 AUGUST 2019 IN THE AREA BOUNDED BY THE FOLLOWING COORDINATES:**

**POINT A: 06° 38.757'N., 122° 28.783'E.  
POINT B: 06° 33.609'N., 122° 28.837'E.  
POINT C: 06° 33.636'N., 122° 33.904'E.  
POINT D: 06° 38.730'N., 122° 33.958'E.**

- B. BRP JUAN MAGLUYAN (PC392) AT VICINITY 19.8 NAUTICAL MILES WEST OFF DULUNGIN POINT, SIOCON. ZAMBOANGA DEL NORTE ON 29-30 AUGUST 2019 IN THE AREA BOUNDED BY THE FOLLOWING COORDINATES:**

**POINT A: 07° 47.900'N., 121° 45.000'E.  
POINT B: 07° 41.700'N., 121° 45.000'E.  
POINT C: 07° 41.700'N., 121° 38.900'E.  
POINT D: 07° 47.900'N., 121° 38.900'E.**

- C. PB336 AT VICINITY 8 NAUTICAL MILES NORTHWEST OFF PANAMPALAN POINT, POLILLO ISLAND, QUEZON ON 15 AUGUST 2019 IN THE AREA BOUNDED BY THE FOLLOWING COORDINATES:**

**POINT A: 15° 08.258'N., 121° 42.125'E.  
POINT B: 15° 10.018'N., 121° 44.699'E.  
POINT C: 15° 07.873'N., 121° 46.901'E.  
POINT D: 15° 05.984'N., 121° 44.385'E.**

**ALL SHIPS/WATERCRAFTS TRANSITING THE VICINITY OF THE ABOVE MENTIONED AREA ARE ADVISED TO TAKE NOTE OF THE INFORMATION AND TAKE NECESSARY PRECAUTIONARY MEASURES AT ALL TIMES.**

## **IV**

# **NAVIGATIONAL WARNINGS**

Date: 25 July 2019

Reference: PCG NTM 206 & 207-2019 (HD 201 & 202/19)

### **MESSAGE**

---

#### **NAVPHIL 092/19 – PHILIPPINE WATERS – GUNNERY**

**THE PHILIPPINE NAVY (PN) WILL CONDUCT TEST FIRING OF THEIR NAVAL GUNS ON DATES AND PLACES AS INDICATED:**

**C. BRP BONNY SERRANO (PC111) AT VICINITY 6.6 NAUTICAL MILES NORTHWEST OFF LUPAC POINT, MARINDUQUE ON 15-17 AUGUST 2019 IN THE AREA BOUNDED BY THE FOLLOWING COORDINATES:**

**POINT A: 13° 30.09'N., 121° 42.57'E.  
POINT B: 13° 30.05'N., 121° 34.19'E.  
POINT C: 13° 37.62'N., 121° 35.52'E.  
POINT D: 13° 38.11'N., 121° 43.51'E.**

**D. BRP ALFREDO PECKSON (PC372) AT VICINITY 8.7 NAUTICAL MILES NORTHEAST OFF MOLOCABOC ISLAND, ESCALANTE CITY, NEGROS OCCIDENTAL ON 23-24 SEPTEMBER 2019 IN THE AREA BOUNDED BY THE FOLLOWING COORDINATES:**

**POINT A: 11° 01.51'N., 123° 43.24'E.  
POINT B: 11° 01.45'N., 123° 48.98'E.  
POINT C: 10° 56.12'N., 123° 48.61'E.  
POINT D: 10° 56.32'N., 123° 43.07'E.**

**ALL SHIPS/WATERCRAFTS TRANSITING THE VICINITY OF THE ABOVE MENTIONED AREAS ARE ADVISED TO TAKE NOTE OF THE INFORMATION AND TAKE NECESSARY PRECAUTIONARY MEASURES AT ALL TIMES.**

## **V**

### **PUBLICATION NOTICES**

1. There is no publication notice for this month.
2. Mariners are requested to notify the Hydrography Branch, NAMRIA of any changes or discrepancies found on nautical charts and nautical publications issued by this office especially if this affect navigational safety on Philippine Waters. Reported information may be sent using the Hydrographic Note or the Hydrographic Note for Port Information, which are on the succeeding pages.

Reports may be sent through the following means:

Mail: NAMRIA – Hydrography Branch, 421 Barraca St., San Nicolas, Manila 1010

Email: [maritime.affairs@namria.gov.ph](mailto:maritime.affairs@namria.gov.ph) and [maritime.concerns@gmail.com](mailto:maritime.concerns@gmail.com)

Fax: (+632) 242-2955

NAMRIA  
HNC  
Form10 Rev00

## HYDROGRAPHIC NOTE

Date \_\_\_\_\_

Ref. No. \_\_\_\_\_

Name of ship or sender \_\_\_\_\_ IMO No. \_\_\_\_\_

Address of sender \_\_\_\_\_  
\_\_\_\_\_

Telephone/Mobile No. \_\_\_\_\_ E-mail \_\_\_\_\_

Subject \_\_\_\_\_

General locality \_\_\_\_\_

Position: Latitude. \_\_\_\_\_ Longitude. \_\_\_\_\_

Position fixing system used \_\_\_\_\_ Datum \_\_\_\_\_

Charts affected \_\_\_\_\_ Edition \_\_\_\_\_

ENCs affected \_\_\_\_\_

Latest Notice to Mariners held \_\_\_\_\_

Nautical Publications affected (Edition No.) \_\_\_\_\_

Details of anomaly or observation:

A replacement copy of Chart No. \_\_\_\_\_  
is required (see Instruction 4).

Signature of observer/reporter \_\_\_\_\_

Tick box if not willing to be named as source of this information

## INSTRUCTIONS

1. Mariners are requested to notify the Hydrography Branch of the National Mapping and Resource Information Authority (NAMRIA) when new or suspected dangers to navigation are discovered, changes observed in aids to navigation, or corrections to publications that are seen to be necessary. Mariners can also report any ENC display issues experienced.
2. This form and its instructions have been designed to help both the sender and the recipient. It should be used, or followed, closely, whenever appropriate. Copies of this form may be obtained gratis from the Hydrography Branch at 421 Barraca St., San Nicolas, Manila, or by requesting thru email at [maritime.affairs@namria.gov.ph](mailto:maritime.affairs@namria.gov.ph).
3. **Position:** When a position is defined by sextant angles or bearings (true or magnetic being specified) more than two should be used in order to provide a check. Distances observed by radar should be quoted. However, when there is a series of fixes along a ship's course, only the method of fixing and the objects used need to be indicated. Latitude and longitude should only be used specifically to position the details when they have been fixed by astronomical observations or GPS and a full description of the method, equipment and datum used should be given.
4. **Paper Charts:** A cutting from the largest scale paper chart is the best medium for forwarding details, the alterations and additions being shown thereon in red. When requested, a new copy will be sent in replacement of a chart that has been used to forward information, or when extensive observations have involved defacement of the observer's chart. If it is preferred to show the amendments on a tracing of the largest scale chart (rather than the chart itself) these should be in red as above, but adequate detail from the chart must be traced in black ink to enable the amendments to be fitted correctly.

**Electronic Navigational Charts (ENCs):** A screen grab of the largest scale usage band ENC with the alterations and additions being shown thereon in red.

5. **Soundings:** When soundings are obtained, it is important to ensure that full details of the method of collection are included in this report. This include nut no limited to:
  - a. Make, model, and type of echo sounder used.
  - b. Whether the echo sounder is set to register depths below the surface or below the keel; in the latter case the vessel's draught should be given.
  - c. Time, date and time zone should be given in order that corrections for the height of the tide may be made where necessary, or a statement made as to what corrections for tide have already been made.
  - d. Where larger amounts of bathymetric data have been gathered, only those areas where a significant difference to the current chart or ENC should be specifically mentioned on the H102. The full data set may also be sent in, with an additional note added to this effect. If no significant differences are noted, the bathymetric data may still be of use, and sent in accordingly. Where full



data sets are included, a note as to the data owner and their willingness for the data to be incorporated into charts and ENC's included.

6. **For Echo Sounders that use electronic 'range gating'**, care should be taken that the correct range scale and appropriate gate width are in use. Older electro-mechanical echo sounders frequently record signals from echoes received back after one or more rotations of the stylus have been completed. Thus, with a set whose maximum range is 500m, an echo recorded at 50m may be from depths of 50m, 550m or even 1050m. Soundings recorded beyond the set's nominal range can usually be recognized by the following:
  - a. the trace being weaker than normal for the depth recorded;
  - b. the trace passing through the transmission line;
  - c. the feathery nature of the trace.

As a check that apparently shoal soundings are not due to echoes received beyond the set's nominal range, soundings should be continued until reasonable agreement with charted soundings is reached. However, soundings received after one or more rotations of the stylus can still be useful and should be submitted if they show significant differences from charted depths.

7. **Reports which cannot be confirmed or are lacking in certain details should not be withheld.** Shortcomings should be stressed and any firm expectation of being able to check the information on a succeeding voyage should be mentioned.
8. Changes to Port Information should be forwarded using Hydrographic Note for Port Information. Where there is insufficient space on the forms additional sheets should be used.
9. Reports using this form and relevant data should be sent either through mail at NAMRIA-Hydrography Branch, 421 Barraca St., San Nicolas, Manila or through email at [maritime.affairs@namria.gov.com](mailto:maritime.affairs@namria.gov.com) and [maritime.concerns@gmail.com](mailto:maritime.concerns@gmail.com).

An acknowledgement or receipt will be sent and the information then used to the best advantage which may mean immediate action or inclusion in a revision in due course; for these purposes, the NAMRIA-Hydrography Branch may make reproductions of any material supplied. When a Notice to Mariners is issued, the sender's ship or name is quoted as authority unless (as sometimes happens) the information is also received from other authorities or the sender states that they do not want to be named by using the appropriate tick box on the form. An explanation of the use made of contributions from all parts of the world would be too great a task and a further communication should only be expected when the information is of outstanding value or has unusual features.

NAMRIA  
HNC  
Form11 Rev00

## HYDROGRAPHIC NOTE FOR PORT INFORMATION

Date: \_\_\_\_\_

Name of Observer/Reporter: \_\_\_\_\_ IMO No. \_\_\_\_\_

Address of sender \_\_\_\_\_

Telephone/Mobile No. \_\_\_\_\_ E-mail \_\_\_\_\_

<b>Name of Port</b>			
<b>Approximate Position</b>	Latitude		Longitude
<b>Port Authority</b> Name and contact details			
<b>General Remarks</b>  Principal activities and trade. Latest population figures and date.  Number of ships or tonnage handled per year.  Maximum size of vessel handled.  Copy of Port Handbook ( <i>if available</i> ).			
<b>Berthing Facility</b> Type (L-pier, T-pier, wharf, etc.)  Names, numbers or positions & lengths.  Depths alongside.			
<b>Storage Facility</b> Area of open storage area and warehouse  Existence of reefer facilities, cold storage, and special storage facilities.			
<b>Anchorage</b> Position, designation, depths, holding ground, shelter afforded.			

<p><b>Pilotage</b>  Authority for requests.</p> <p>Pilot boarding position.</p> <p>Regulations (compulsory or not).</p> <p>Name of pilot association and contact details.</p>	
<p><b>Tugs</b>  Number available.</p> <p>Name of tug operator and contact details</p>	
<p><b>Directions</b>  Entry and berthing information.</p> <p>Tidal streams.</p> <p>Navigational aids.</p>	
<p><b>Small Craft Facility</b>  Name of yacht club, contact no., email address.</p>	
<p><b>Cargo Handling</b>  Containers, lighters, Ro-Ro etc.</p>	
<p><b>Repairs</b>  Hull, machinery and underwater.</p> <p>Shipyards.</p> <p>Docking or slipping facilities.  <i>(Give size of vessels handled or dimensions)</i></p> <p>Divers.</p>	
<p><b>Rescue and Distress</b>  Salvage, Lifeboat, Coastguard, etc.</p> <p>Name of nearest Coast Guard station and contact details.</p>	
<p><b>Supplies</b>  Fuel.  (with type, quantities and methods of delivery)</p> <p>Fresh water.  (with method of delivery and rate of supply)</p> <p>Provisions.</p>	

<p><b>Services</b>  Medical.</p> <p>Ship Sanitation.</p> <p>Garbage and slops.</p> <p>Ship chandlery, tank cleaning, compass adjustment, hull painting.</p>	
<p><b>Communications</b>  Nearest airport or airfield.</p> <p>Port radio and information service. (with frequencies and hours of operating)</p>	
<p><b>Government Services</b>  Customs</p> <p>Quarantine</p> <p>Plant and Animal Quarantine</p> <p>Immigration</p>	
<p><b>Local Situation</b>  Health facilities (nearest hospitals, clinics, health centers)</p> <p>Banks and money remittance facilities</p>	
<p><b>Views</b>  Photographs (where permitted) of the approaches, leading marks, the entrance to the harbor etc.</p>	
<p><b>Additional Details</b></p>	

Signature of observer/reporter \_\_\_\_\_

**Notes:**

1. This form lists the information required for Philippine Coast Pilot and has been designed to help the sender and the recipient. The sections should be used as an aide-memoir, being used or followed closely, whenever appropriate. Where there is insufficient space on the form an additional sheet should be used.
2. **Reports which cannot be confirmed or are lacking in certain details should not be withheld.** Shortcomings should be stressed and any firm expectation of being able to check the information on a succeeding voyage should be mentioned.

***Intentionally left as blank***

Nautical Charts, Topographic Maps, Tide and Current Tables and related publications are available for sale at the following NAMRIA Map Sales Offices (MSO):

**METRO MANILA:**

**NAMRIA Main Office MSO**

Fort Andres Bonifacio, Taguig City  
Contact Nos. (02) 810-4831 to 42 local 431,  
(02) 810-5467

**Manila MSO**

Hydrography Branch  
421 Barraca Street, San Nicolas, Manila  
Contact Nos. (02) 241-3494 to 96 local 117,  
(02) 245-9498

**DENR Central Office MSO**

Forest Management Bureau (FMB) Compound  
Visayas Avenue, Quezon City  
Contact Nos. (02) 925-1157

**REGION I:**

**San Fernando (La Union) MSO**

DENR Government Center  
Sevilla, San Fernando City  
Contact Nos. (0999) 405-6917

**REGION II:**

**Cagayan MSO**

DENR – LEP, Building II  
Carig, Tuguegarao City  
Contact Nos. (0999) 309-3702

**CORDILLERA ADMINISTRATIVE REGION:**

**Baguio City MSO**

Cottage I Forester Compound,  
PACDAL, Baguio City  
Contact Nos. (074) 442-5429, (074) 442-4531,  
0918-9203590

**REGION III:**

**Nueva Ecija MSO**

GIS Room, WMRC Building,  
Central Luzon State University Compound  
Maharlika Highway, Muñoz City  
Contact Nos. (044) 456-0690, 0917-9313827

**Pampanga MSO**

Diosdado Macapagal Government Center  
Maimpis, San Fernando City  
Contact Nos. (0910) 372-5623

**REGION IV-A:**

**Southern Tagalog MSO**

Provincial Planning and Development Office  
Laurel Park, Capitol Site, Batangas City  
Contact Nos. (0905) 506-8681

**REGION IV-B:**

**Puerto Princesa MSO**

DENR-PENRO Compound,  
Brgy. Santa Monica, Puerto Princesa City  
Contact Nos. (048) 433-1391, (0918) 283-7045

**REGION V:**

**Legazpi City MSO**

DENR-Operation/Survey Division,  
Rizal St., Sagpon, Legazpi City  
Contact Nos. (052) 480-9825, (0920) 437-8877

**REGION VI:**

**Iloilo City MSO**

Manuel Lagunilla Bldg,  
DENR Compound, Parola, Iloilo City  
Contact Nos. (0919) 887-3862,

**REGION VII:**

**Cebu City MSO**

Room 301, Osmeña Bldg. II, Osmeña Blvd, Cebu City  
Contact Nos. (032) 505-9945, (0922) 791-0372

**REGION VIII:**

**Tacloban City MSO**

DENR Compound, Sto. Niño Extension, Tacloban City  
Contact Nos. (053) 325-6223, (053) 321-3386,  
0921-3628489

**REGION IX:**

**Zamboanga City MSO**

DENR CENRO West  
General Vicente Alvarez St., Zone 4, Zamboanga City  
Contact Nos. 0935-8609439

**Zamboanga del Sur MSO**

Pres. Corazon C. Aquino Regional Government,  
Center, Balintawak, Pagadian City, Zamboanga del Sur  
Contact Nos. 0907-2777422

**REGION X:**

**Cagayan de Oro City MSO**

Day Care Center Building, DENR-Compound,  
Macabalan (Puntod), Cagayan de Oro City  
Contact Nos. 0926-4148976

**REGION XI:**

**Davao City MSO**

Kilometer 7, SPED Road, Bangkal,  
Davao City  
Contact Nos. 0915-6127770

**REGION XII:**

**Koronadal City MSO**

DENR Region 12, Land Evaluation Party Office,  
Aurora Street, Koronadal City, South Cotabato  
Contact Nos. 0908-5459367, 0998-9840921

**CARAGA Administrative Region:**

**CARAGA MSO**

DENR Land Management Services Bldg.,  
Ambago, Butuan City, Agusan del Norte  
Contact Nos. (085) 342-6124, (085) 341-3250,  
0948-620-9442, 0926-683-5521